### **MEETING REPORT**

# "Microbiota, Symbiosis and Individuality Summer School" Meeting Report

Isobel Ronai<sup>1†</sup>, Gregor P. Greslehner<sup>2\*†</sup>, Federico Boem<sup>3†</sup>, Judith Carlisle<sup>4†</sup>, Adrian Stencel<sup>5†</sup>, Javier Suárez<sup>6†</sup>, Saliha Bayir<sup>7</sup>, Wiebke Bretting<sup>2</sup>, Joana Formosinho<sup>8</sup>, Anna C. Guerrero<sup>9</sup>, William H. Morgan<sup>10</sup>, Cybèle Prigot-Maurice<sup>11</sup>, Salome Rodeck<sup>12</sup>, Marie Vasse<sup>13</sup>, Jacqueline M. Wallis<sup>14</sup> and Oryan Zacks<sup>15</sup> This is a post-peer-review, pre-copyedit version of an article published in Microbiome 8:117 (2020). The final authenticated version is available online (Open Access) at: https://doi.org/10.1186/s40168-020-00898-7

\*Correspondence:

gregor.greslehner@gmail.com

<sup>2</sup>ImmunoConcept, UMR5164, CNRS & University of Bordeaux, 146 Rue Léo Saignat, 33076 Bordeaux, France Full list of author information is available at the end of the article † These authors contributed equally.

#### **Abstract**

How does microbiota research impact our understanding of biological individuality? We summarize the interdisciplinary summer school on "Microbiota, Symbiosis and Individuality: Conceptual and Philosophical Issues" (July 2019), which was supported by a European Research Council starting grant project "Immunity, DEvelopment, and the Microbiota" (IDEM). The summer school centered around interdisciplinary group work on four facets of microbiota research: holobionts, individuality, causation, and human health. The conceptual discussion of cutting-edge empirical research provided new insights into microbiota and highlights the value of incorporating into meetings experts from other disciplines, such as philosophy and history of science.

**Keywords:** microbiome; holobiont; hologenome; philosophy of biology; history of biology; downward causation; ecology; conceptual analysis; holistic; physiological individuals

#### Introduction

The "Microbiota, Symbiosis and Individuality: Conceptual and Philosophical Issues" interdisciplinary summer school (1–5 July 2019) in Biarritz (France) explored how microbiota research impacts our conception of biological individuality. The summer school brought together twenty early career researchers and six world-leading experts, across multiple disciplines (biology, philosophy of science and history of science), with an interest in microbiota and individuality (Figure 1). This gathering was funded by the European Research Council through a Starting Grant to Thomas Pradeu for the project "Immunity, DEvelopment and the Microbiota—Understanding the Continuous Construction of Biological Identity" (IDEM).

In light of the microbiota "revolution" there is increasing recognition that the construction of biological identity includes a dynamic dialogue with an organism's microbiota and is dependent on environmental factors [1, 2, 3, 4, 5]. A re-examination of biological identity and individuality is therefore needed. How are biological identity and individuality constructed, what kinds of phenomena are they, and what are the implications for science and biomedicine [6, 7, 8]? A fruitful way to inform biological and biomedical discourse is to engage philosophers and historians of science with the empirical research [9, 10]. Philosophers and historians of science can act

Ronai et al. Page 2 of 14

as "productive disrupters", by: embedding scientific research in its socio-historical context; offering conceptual analysis of ongoing research; bridging between different knowledge domains; tracing and revealing underlying ontological commitments; and articulating the consequences of alternative epistemologies.

The goals of the summer school were to: (i) examine working definitions of the terms used in microbiota research; (ii) clarify the exact sense of the terms "individuality" and "identity", including how they are impacted by microbiota research; (iii) clarify which domains of the biological sciences, medical sciences, and humanities can be combined to catalyze exploration of connections between microbiota and individuality questions; and (iv) generate future interdisciplinary collaborations on the topic of microbiota.

The potential disciplinary barriers amongst participants from different academic backgrounds required the summer school to be carefully structured. The meeting consisted of an interdisciplinary reading list, plenary lectures by the six course leaders (summarized in Table 1) and participant-driven interdisciplinary group work. Each group explored a particular facet of microbiota research: holobionts; individuality; causation; and human health. Our meeting report focuses on the open questions that arose for each of these four topics, as well as the tentative answers offered in response to these questions. We showcase interdisciplinary movements of thinking, which we believe will be helpful for advancing microbiota research.

# Microbiota and the holobiont: Can we understand the holobiont in isolation from its ecological boundaries?

"Holobiont" is a biological concept that has received considerable attention. However, its definition is highly contested and somewhat convoluted, casting doubt on its theoretical or practical usefulness. The concept can be defined as "an association comprised of the macroscopic host and synergistic interdependence with bacteria, archaea, fungi, and numerous other microbial and eukaryotic species" (Table 1 Bosch's lecture; [11]). The holobiont concept aims at emphasizing the importance of symbiotic relationships for an organism. Being more than the sum of its parts, as one participant group argued, the holobiont is a totality of complex relationships between different biological entities [8].

A major problem with the concept of the holobiont is how to determine its ecological boundaries: should the holobiont encompass the host plus the totality of its microbes, or are the microbes part of the environment of the host? To answer this question, one participant group examined different case studies from research into symbioses. For example, the symbiosis of the Hawaiian bobtail squid (Euprymna scolopes) and bacteria Vibrio fischeri enable the holobiont to have a light organ [12]. Another example comes from coral holobionts [13, 14]. Soft corals, such as Leptogorgia alba rely on bacterial symbionts as a defense against pathogenic fungi [15]. When L. alba feeds at night it is susceptible to pathogenic fungi and the bacterial symbiont Pseudoalteromonas sp. produce anti-mycotic molecules that protect the holobiont, but only under low-light conditions [16]. These examples suggest that the holobiont's microbiota can be seen as adapted to the environment along with the host, and the holobiont concept opens up new ways of thinking about the nature of organisms and their boundaries.

Ronai et al. Page 3 of 14

There is a complex relationship between the microbial cells that compose the microbiome, and their host cells, from which they diverge genetically [1, 11]. The emerging consensus is that symbiotic microbes function in a similar way to host cells rather than as an aspect of the external environment, because they perform functions that were previously ascribed only to host cells. For example, microbiota allowed the evolution of herbivory through specialized digestion (Table 1 Gilbert's lecture; see also [4, 17]) and microbiota facilitate functionality of the immune system (Table 1 Pradeu's lecture; see also [18]). Importantly, this happens regardless of the genetic difference between host cells and microbial cells. Both examples, therefore, underscore the importance of the holobiont concept as a guiding research tool in contemporary biology.

Thus, using the holobiont concept as only a shorthand for a "multicellular host plus its microbes" limits its potential, if the interactions between these elements are not taken into account too. The most important features of the concept are its power to render tangible the fundamental interdependence of all living beings and complexity of organismic life. The history of science teaches us that some biological concepts might be distorted or misunderstood but still have a positive impact on research by generating progressive research methods [19, 20]. The emerging field of holobiont research highlights the benefits of a holistic understanding of life and its research methods study the holobiont in its entirety.

# Microbiota and individuality: Does microbiota research affect our understanding and definition of a physiological individual?

What counts as an individual is question-dependent as different research contexts have different ways of characterizing individuality (Table 1 Pradeu's lecture; Gilbert's lecture; [18, 4, 21]). Some of the suggested conceptions of biological individuality have been evolutionary, ecological, immunological, and developmental [22, 18, 9, 23]. Holobiont research presents a unique challenge to the traditional evolutionary conceptions of biological individuals. These traditional conceptions used a set of criteria based on biological terms such as heritability and selection [2], which seems to exclude holobionts. For example, Godfrey-Smith's oft-cited evolutionary account defines Darwinian individuals in terms of variation in heritable traits resulting in different reproductive advantages across generations [24]. There is a debate whether symbiotic relationships between organisms and their microbiota satisfy the evolutionary criteria for individuality because they often fail to collectively show variation, heritability, and differences in reproductive success [25, 26, 27, 28].

Holobionts appear intuitively "individualistic" because its constituent organisms often cannot survive without one another, and they are structurally, metabolically, developmentally, and immunologically integrated. Thus, holobionts may constitute a new conception of biological individuality. The need for a functionally relevant term to capture the holobiont as a well-delineated and cohesive unit led a participant group to propose that holobionts are physiological individuals (Table 1 Martens' lecture). A physiological individual is characterized by the functional integration of metabolism and immune activities.

It is difficult to successfully characterize what entities are "physiological individuals". Some definitions seem to either exclude entities that should be physiological Ronai et al. Page 4 of 14

individuals (for example, plants) or include entities that are not physiological individuals (for example, biochemical processes in a lab setting) [9, 18]. The participant group defined the most basic form of physiological individuality in order to relate other biological entities to this basic form in a scalar fashion. A minimal model has only the essential ingredients of a living organism, while it maintains separateness and coherence within its environment. An example of the most basic form of physiological individuality is Gánti's chemoton [29], his criteria include:

- 1 A semi-permeable barrier in the form of a membrane, which acts as a minimal form of an interface with the environment and defense (filtering over entry);
- 2 A self-sustaining metabolic cycle; and
- 3 Heredity of information with the potential for variation in the form of genes. The chemoton is meant to describe a hypothetical minimal form of life and because the description of physiological individuality is scalar, the minimal model can be used in a variety of biological contexts and applied to a wide variety of organisms.

The chemoton can be placed at the center of a "physiological individuality spectrum", as an ideal but theoretical model of coherence and functional unity. The organisms that most closely show this coherence are single-celled organisms, although they are still highly interconnected with other entities in their environments. The more complex organisms become, the more they tend to "outsource" or engage in relationships of interdependence with other organisms (outside of their own membrane). If Gánti's model is taken as a paradigm, holobionts no longer meet the minimal criteria for physiological individuality because their barriers become more diffuse, and they interact with other species for metabolism and heredity. In addition, biofilms and symbionts are not counted as physiological individuals due to increasingly "open" barriers. At the other end of the continuum are entities such as viruses, which are highly dependent on other organisms for both metabolic and hereditary processes. The multi-cellular world can therefore be understood as a continuum of interacting organisms displaying different degrees of separateness and interdependence (Figure 2). A minimal model approach avoids worries about both anthropocentrism and disciplinary isolationism [30, 18].

It is important to note that individuality can be conceived at multiple scales of the biological hierarchy. For example, in a holobiont the relationship between a host and its microbes is intimate, but in an organism the relationship of a cell and its mitochondria can be considered more intimate still. The placement of an entity on the hierarchy of life can help predict consequences of an unravelling of relationships, such as the degree of interdependence we expect to find between its component parts.

## Microbiota and causation: Should microbiota research consider downward causation?

Contemporary research suggests that the microbiota have a substantial influence on their multicellular hosts, including host physiology and host immunology (Table 1 Pradeu's lecture; Bosch's lecture; [31]). These findings have led biologists to attribute to the microbiota an important causal role in host health, host development, and host evolution (Table 1 Knight's lecture; Gilbert's lecture; [32]). However, some biologists and philosophers of biology have persuasively argued that while certain findings show interesting correlations between the microbiota and certain host

Ronai et al. Page 5 of 14

states, it is not clear that a causal relationship from the microbiota to the host exists [33, 34, 35, 36]. Do causal claims in microbiota research require a healthy dose of skepticism?

The methods of microbiota research are usually coarse-grained. These methods are therefore not comparable to the traditional and standardized methods employed to establish causation in other research areas, such as biomedical research. Traditional methods to establish causation are grounded in designing interventions that show a direct connection between an entity and a phenomenon. For instance, one can experimentally show how a pathogen causes a disease using Koch's postulates [37, 38] or how microbiota affects the physiological functions of their host. While some microbiota therapies cure disease through the inoculation of "healthy" microbiota into "unhealthy" patients (for example, fecal transplantation; see *Microbiota and health* Section) the level of analysis for microbiota research is not precise enough to establish a causal pathway as the agents (microbial taxa) that bring about the cure are never identified. Thus the gold standard of establishing causation is not often met by microbiota research methods.

Given this issue of causation in microbiota research one participant group discussed whether the tools of metaphysics might be useful. Metaphysics is the branch of philosophy dedicated to the study of the first principles of reality, including the study of the concept of "causation" and the different forms of causation that may exist in the world [39]. A metaphysical study of "causation" in microbiota research helped identify the type of causal relationships that exist.

One can distinguish two types of causation: downward (top-down) and upward (bottom-up). Biomedical research usually appeals to upward causation, referring to situations where a certain entity (for example, a molecule, a bacterium, a virus, etc.) is deemed responsible for provoking a phenomenon or activity at the systemic level of the organism (for example, a disease, a physiological process, etc.). Downward causation, on the other hand, refers to situations in which the activities at the systemic level of the organism are responsible for changes in the entities at lower levels of organization [40]. Some metaphysicians have claimed that downward causation occurs in scenarios where the system level generates physico-chemical constraints that significantly decrease the degree of freedom of their component parts [41, 42, 43, 44]. A representative case of downward causation in biology is meiotic drive. In a normal process of cell division it is expected that each allele will be transmitted in a 1:1 proportion. Meiotic drive, however, creates a constraint on cellular division by reducing the degree of freedom of certain alleles, so that the final distribution favours some alleles over others, and the proportion differs from 1:1. Therefore certain situations in nature can be defined as cases of downward causation.

Microbiota research can be thought of in terms of downward causation. The system (holobiont) generates some constraints that reduce the degree of freedom of its components (microbiota). In this sense, a "healthy" holobiont (see *Microbiota and health* Section) would be one that generates constraints that reduce the exponential growth of the potential pathogens contained in it and, consequently, avoids their pathogenicity. Conversely, an "unhealthy" holobiont is one that fails to constrain pathogens. A more nuanced understanding of causation in microbiota research also

Ronai et al. Page 6 of 14

shows that studying how the growth of a microbial taxon is constrained by its interactions within a holobiont is more helpful than studying the specific effect of a microbial taxon on a healthy holobiont (i.e. using Koch's postulates). Therefore, the tools of metaphysics provide an understanding of causation in microbiota research and are even helpful for designing new forms of intervention (see *Future Directions* Section). A "healthy" holobiont and the development of microbiota-based therapeutics is feasible if the combinations of microbial taxa that constrain the growth of the pathogen are identified.

### Microbiota and health: Is human health a systemic property of the holobiont and does it matter for medical practice?

Human health is intimately intertwined with the ecology of a human's microbiota. One participant group proposed human health should be conceptualized as a property of the holobiont not just the human. A holobiont is a functional whole whose features are constituted by the relations that occur between its component parts (see *Microbiota and the holobiont Section*). Therefore, human health needs to address both the systemic-ecological interactions (also known as "emergence", see *Microbiota and causation Section*) and individual component parts.

If the concept of the holobiont is transferred to a medical context the current World Health Organization definition of health, as "a state of physical, mental and social well-being and not merely the absence of disease or infirmity" [45] would therefore be better conceived of as a plural and systemic concept. Health factors are social, biological, cultural and environmental factors, along with their dynamic interactions. These factors do not belong to a human individual, rather they arise from interactions. These interactions are systemic and ecological, since perturbing them will provoke systemic modifications, adjustments, or disruptions. The altered dynamics of the holobiont system are what, macroscopically, we call "health" and determines the pathological condition. Thus, a holobiontic perspective views human health as arising from complex, locally interactive human and non-human systems, with multiple balance points occurring over time. Under this perspective, health and illness are not binaries but instead result from potentially overlapping properties of a locally dynamic system. The concept of the holobiont also leads us to modify our understanding of individuality (see *Microbiota and individuality* Section). Clinical practice should not neglect the fact that "a single individual" is actually a functional whole of different biomes.

If the holobiont is considered the therapeutic unit this would mean it is the privileged target of therapeutic actions. The manipulation of microbiota will require a serious reflection on manipulation criteria in experimental practice (see *Microbiota and causation* Section) and perhaps should be more grounded in ecological knowledge principles [46, 47]. Ecological manipulation of the microbiota is likely to be totally different from traditional, mechanistic interventions and thus requires new theoretical and experimental accounts in order to be successfully employed.

The best case study of a therapeutic approach transitioning to a holobiont perspective is gastrointestinal disease, an infection with the bacteria *Clostridium difficile*. Traditionally, *C. difficile* infections were treated with antibiotics, whose non-discriminatory nature meant that the entire gut microbiota was broadly weakened,

Ronai et al. Page 7 of 14

and this treatment had a low success rate in curing the disease [48, 49]. A more successful intervention is Fecal Microbiota Transplantation, where fecal matter is taken from a healthy donor and transplanted into the patient [50, 51, 52]. This treatment is successful in curing *C. difficile* infections because it is a holobiont-based therapeutic intervention on the systemic-ecological interactions. A diverse gut microbiota can prohibit the invasion of particular (potentially pathogenic) microbial species under colonization resistance theory [53, 54, 55]. However, the causal pathways underlying the success of Fecal Microbiota Transplantation are not yet well understood (see *Microbiota and causation* Section). Additionally, large interand intra-patient variability means that a "healthy microbiota" for one individual is unlikely to be healthy for another [56, 57, 58]. A personalized medicine approach to the human microbiota is perhaps needed.

A holobiontic perspective has potential implications on the healthcare structures and practices that impact the systemic-ecological balance of patients. Hygiene practices in modern Western medicine have been based on the idea of an autonomous, delocalized human individual, which appears no longer adequate in light of the holobiont. A holobiontic perspective recognizes that a "sterile environment" is unsafe and ripe for colonization by microbial newcomers. So all microbes should not be removed, rather a protective balance of healthy microbiota ecology should be preserved [46]. The barriers to implementing a holobiont perspective are not just scientific and technological but also societal and cultural. For example, the public perception of microbes needs to be changed and conventional public expectations about sterile environments overturned. The frequently used war-like, host-centered language in medicine, such as "microbes as enemies," "war on X," and "fighting disease" (Table 1 Pradeu's lectures), should either be highly revised or abandoned.

### **Future directions**

Microbiota research is changing our understanding of the ecological boundaries of holobionts and what it means to be an individual in terms of causation, physiology, and health. The cross-talk between biology and the philosophy/history of science will continue. We speculate about some of the future impacts on microbiota research here.

Microbiota research raises important questions concerning which species count as part of the holobiont (see *Microbiota and the holobiont* Section). Should we consider the host and its microbiota to be a kind of whole, as some suggest [1, 11, 59], and commit ourselves to holistic thinking about holobionts? In this way we would have to accept that holobionts constitute a genuine kind of biological unit and that they are non-reducible to the mere sum of their parts, insofar as they include the synergies between their components. Talking about the holobiont redirects biology's focus towards an understanding of nature as being fundamentally symbiotic.

We proposed a physiological individuality spectrum for biological entities, which relies primarily on Gánti's chemoton as an ideal model of coherence and functional unity (see *Microbiota and individuality* Section). This spectrum allows us to highlight the ways that the holobiont is individualistic (e.g. structurally, metabolically, developmentally, and immunologically integrated) while recognizing that some holobionts may not be what has traditionally been called evolutionary individuals

Ronai et al. Page 8 of 14

[60, 61]. We hope that placing holobionts on this spectrum will provide novel and testable hypotheses. For example, it could be that the degree of interdependence we find between a host and its component parts may be an indicator of the importance of this relationship to the survival of the holobiont as a whole. If so, we may be able to use this spectrum to predict and/or intervene on the consequences of unraveling relationships within a physiological individual or community. We believe that our notion of "physiological individuality" is best understood as one among many helpful theoretical conceptions of individuality. There are evolutionary individuals, physiological individuals, developmentally unified individuals, immunological individuals, and perhaps others. By identifying individuality as a pluralistic concept, we can describe the many varieties of individuality we see in the biological hierarchy.

Our proposal of downward causation being important for microbiota research (see *Microbiota and causation* Section) hopefully inspires new research questions. For example, does a healthy vaginal microbial community influence introduced microbes? The vagina is an acidic environment [62] due to bacteria such as *Lactobacillus sp.* [63]. We hypothesize that if a random bacteria is introduced into a healthy vagina they will either alter their gene expression to produce an acidifying compound, or horizontally acquire a genetic component for the production of acids from the resident bacterial species. These types of experiments would provide substantial evidence for the existence of downward causation from the vaginal microbiota to some of the species of microorganisms that compose it.

A holobiont perspective entails re-conceptualizing the "therapeutic individual" as a more-than-human integrated unit, whose clinical identity is continuously constructed in dialogue with its microbiota and environment, in contingent, localized dynamics (see *Microbiota and health* Section). A better understanding of these dynamics is required and goes beyond the current mechanistic accounts used in biomedicine. Because ecologists study how perturbations reverberate unpredictably through dynamic ecosystems leading to unexpected outcomes we propose that the hospitals of the future could include ecologists to use their expertise in designing systems-level therapeutic interventions, as it has been argued that holobionts have some properties of ecosystems (e.g. [64, 26]). Therefore, as the holobiont is an object of inquiry that challenges current categories of scientific investigations and methodologies we need new research areas aimed at investigating holobionts.

#### **Conclusions**

The summer school provided a productive platform for collaboration between researchers from different disciplinary backgrounds, all of whom shared an interest in the complex problems of microbiota. An interdisciplinary endeavor faces many challenges. For example, researchers from different disciplines do not have the same knowledge about a subject, which can make it difficult to find a common language and starting point. In addition, researchers have particular methodologies and ways of investigation, and working with someone from another discipline can be tricky. As a result, people tend to interact more with participants from the same disciplinary background. To promote interdisciplinary collaboration, the organizers of the summer school carefully selected participants: biologists with an interest in philosophy/history of science as well as philosophers/historians of science with an interest in biology.

Ronai et al. Page 9 of 14

The integration of science, philosophy of science and history of science is beneficial. Philosophy of biology can help biology [10, 65] and biological case studies are a great source of inspiration for philosophical and historical work. The products of the interdisciplinary participant group work were generally wider in scope and more appealing to a broad audience than the outcomes generated by a single discipline.

The novelty, complexity, and potency of microbiota research requires a global, interdisciplinary perspective when moving forward. To keep this flow of mutual inspiration, we need contexts and practices that link the scattered communities of the natural sciences and humanities. This summer school showed us one successful way to do so, and we hope that this "experiment" will be replicated in the future. There is great scope for productive cooperation, but it takes people equipped with the right tools and enthusiasm to open the door and invite researchers from disparate disciplines into the same room.

#### Ethics approval and consent to participate

Not applicable.

#### Consent for publication

Not applicable.

#### Availability of data and material

Not applicable.

#### Competing interests

The authors declare that they have no competing interests.

#### Funding

This project has received funding from the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation programme – grant agreement no. 637647 – IDEM (P.I.: T. Pradeu).

#### Authors' contributions

IR, GPG, FB, JC, AS and JS were major contributors in writing and revising this manuscript. SB, JF, ACG, CPM, SR, MV, JMW and OZ helped draft the manuscript. WB and WHM were greatly involved in the creative process of designing the summer school and its topics, as well as coordination of writing efforts. Figure 2 by ACG, with input from OZ and JC. All authors read and approved the final manuscript.

#### Acknowledgements

The authors wish to thank Thomas Pradeu, Wiebke Bretting and William H. Morgan for organizing the conference and for their feedback on the manuscript. Thank you also to the course leaders (Thomas Pradeu, Scott Gilbert, Johannes Martens, Jan Pieter Konsman, Thomas Bosch and Rob Knight) and all the participants of the summer school for their contributions. We also wish to thank two anonymous reviewers for their helpful comments and suggestions.

#### Authors' information

IR has a PhD in Biology and Philosophy of Biology. GPG has a PhD in Philosophy and a MSc in Molecular Biology. FB has a PhD in Foundations of the Life Sciences and their Ethical Consequences. JC is a current PhD student in Philosophy, Neuroscience, and Psychology; and has a MA in Philosophy. AS is a current PhD student in Philosophy and has a MA in Biology. JS has a PhD in Philosophy of Biology. SB is a PhD student in Philosophy and has a MA in Philosophy and a BSc in Molecular Biology and Genetics. WB is a project manager and science communicator with a PhD in Genetics. JF has a MSc in Holistic Science and is currently a PhD Fellow at University of Copenhagen. ACG is a current PhD student in History of Biology and has a MS in Biology. WHM is currently a PhD student in Philosophy and has a MA in Philosophy. CPM is a current PhD student in Evolutionary Biology of Organisms and Populations (Invertebrate Immunology) and has a MA in Evolutionary Biology. SR is a current PhD Student in European Ethnology and holds a MA in Cultural Analysis. MV has a PhD in Evolutionary Biology. JMW has a MA in Philosophy of Biological and Cognitive Sciences and a BS in Cell and Molecular Biology. OZ is a current PhD student in Philosophy of Biology and has a MA in Neuroscience.

#### Author details

<sup>1</sup>Columbia University, 1200 Amsterdam Ave, 10027 New York, NY, US. <sup>2</sup>ImmunoConcept, UMR5164, CNRS & University of Bordeaux, 146 Rue Léo Saignat, 33076 Bordeaux, France. <sup>3</sup>Dipartimento di Filosofia e Scienze dell'Educazione, Università degli Studi di Torino, Palazzo Nuovo, Via S. Ottavio, 20, 10124 Torino, Italy. <sup>4</sup>Washington University in St. Louis, Department of Philosophy, One Brookings Drive, 63130-4899 St. Louis, MO, US. <sup>5</sup>Faculty of Philosophy, Jagiellonian University, Gołębia 24, 31-007 Kraków, Poland. <sup>6</sup>Abteilung Philosophie, Universität Bielefeld, Universitätsstraße 25, 33615 Bielefeld, Germany. <sup>7</sup>Institut für Philosophie, Universität Kassel, Henschelstr. 2, 34127 Kassel, Germany. <sup>8</sup>Medical Museion, Department of Public Health, University of Copenhagen,

Ronai et al. Page 10 of 14

Fredericiagade 18, 1310 Copenhagen, Denmark. <sup>9</sup>Arizona State University, Center for Biology and Society, 427 E Tyler Mall, 85281 Tempe, AZ, US. <sup>10</sup>The University of Sheffield, Department of Philosophy, 45 Victoria Street, S3 7QB Sheffield, UK. <sup>11</sup>Université de Poitiers, Laboratoire Écologie et Biologie des Interactions, UMR CNRS 7267, Bâtiment B35, 5 rue Albert Turpain, TSA 51106, 86073 Poitiers Cedex 9, France. <sup>12</sup>Leibniz Center for Literary and Cultural Research, Schützenstr. 18, 10117 Berlin, Germany. <sup>13</sup>Institute for Integrative Biology, ETH Zürich, Universitätstrasse 16, 8092 Zürich, Switzerland. <sup>14</sup>University of Bristol, Department of Philosophy, Cotham House, BS6 6JL Bristol, UK. <sup>15</sup>Sagol School of Neuroscience, Tel Aviv University, 6997801 Tel Aviv, Israel.

#### References

- Gilbert, S.F., Sapp, J., Tauber, A.I.: A symbiotic view of life: We have never been individuals. The Quarterly Review of Biology 87(4), 325–341 (2012). doi:10.1086/668166
- Pradeu, T.: Organisms or biological individuals? Combining physiological and evolutionary individuality. Biology & Philosophy 31(6), 797–817 (2016). doi:10.1007/s10539-016-9551-1
- Doolittle, W.F., Booth, A.: It's the song, not the singer: an exploration of holobiosis and evolutionary theory. Biology & Philosophy 32(1), 5–24 (2017). doi:10.1007/s10539-016-9542-2
- Gilbert, S.F.: Evolutionary transitions revisited: Holobiont evo-devo. Journal of Experimental Zoology Part B: Molecular and Developmental Evolution 332(8), 307–314 (2019). doi:10.1002/jez.b.22903
- Pradeu, T.: Philosophy of biology: Immunology and individuality. eLife 8, 47384 (2019). doi:10.7554/eLife.47384
- McFall-Ngai, M., Hadfield, M.G., Bosch, T.C.G., Carey, H.V., Domazet-Lošo, T., Douglas, A.E., Dubilier, N., Eberl, G., Fukami, T., Gilbert, S.F., Hentschel, U., King, N., Kjelleberg, S., Knoll, A.H., Kremer, N., Mazmanian, S.K., Metcalf, J.L., Nealson, K., Pierce, N.E., Rawls, J.F., Reid, A., Ruby, E.G., Rumpho, M., Sanders, J.G., Tautz, D., Wernegreen, J.J.: Animals in a bacterial world, a new imperative for the life sciences. Proceedings of the National Academy of Sciences 110(9), 3229–3236 (2013). doi:10.1073/pnas.1218525110
- Rees, T., Bosch, T., Douglas, A.E.: How the microbiome challenges our concept of self. PLOS Biology 16(2), 1–7 (2018). doi:10.1371/journal.pbio.2005358
- Suárez, J., Triviño, V.: What is a hologenomic adaptation? emergent individuality and inter-identity in multispecies systems. Frontiers in Psychology 11, 187 (2020). doi:10.3389/fpsyg.2020.00187
- 9. Lidgard, S., Nyhart, L.K.: Biological Individuality: Integrating Biological, Historical, and Philosophical Perspectives. The University of Chicago Press, Chicago and London (2017)
- Laplane, L., Mantovani, P., Adolphs, R., Chang, H., Mantovani, A., McFall-Ngai, M., Rovelli, C., Sober, E., Pradeu, T.: Opinion: Why science needs philosophy. Proceedings of the National Academy of Sciences 116(10), 3948–3952 (2019). doi:10.1073/pnas.1900357116
- 11. Bosch, T.C.G., Miller, D.J.: The Holobiont Imperative. Springer, Wien (2016). doi:10.1007/978-3-7091-1896-2
- 12. Nyholm, S.V., McFall-Ngai, M.: The winnowing: establishing the squid–vibrio symbiosis. Nature Reviews Microbiology 2(8), 632–642 (2004). doi:10.1038/nrmicro957
- Reshef, L., Koren, O., Loya, Y., Zilber-Rosenberg, I., Rosenberg, E.: The coral probiotic hypothesis. Environmental Microbiology 8(12), 2068–2073 (2006). doi:10.1111/j.1462-2920.2006.01148.x
- Rosenberg, E., Koren, O., Reshef, L., Efrony, R., Zilber-Rosenberg, I.: The role of microorganisms in coral health, disease and evolution. Nature Reviews Microbiology 5(5), 355–362 (2007). doi:10.1038/nrmicro1635
- Moree, W.J., McConnell, O.J., Nguyen, D.D., Sanchez, L.M., Yang, Y.-L., Zhao, X., Liu, W.-T., Boudreau, P.D., Srinivasan, J., Atencio, L., Ballesteros, J., Gavilán, R.G., Torres-Mendoza, D., Guzmán, H.M., Gerwick, W.H., Gutiérrez, M., Dorrestein, P.C.: Microbiota of healthy corals are active against fungi in a light-dependent manner. ACS Chemical Biology 9(10), 2300–2308 (2014). doi:10.1021/cb500432j
- Carrier, T.J., Reitzel, A.M.: The hologenome across environments and the implications of a host-associated microbial repertoire. Frontiers in Microbiology 8, 802 (2017). doi:10.3389/fmicb.2017.00802
- 17. Chiu, L., Gilbert, S.F.: The birth of the holobiont: Multi-species birthing through mutual scaffolding and niche construction. Biosemiotics 8(2), 191–210 (2015). doi:10.1007/s12304-015-9232-5
- Pradeu, T.: The many faces of biological individuality. Biology & Philosophy 31(6), 761–773 (2016). doi:10.1007/s10539-016-9553-z
- Laudan, L.: A confutation of convergent realism. Philosophy of Science 48(1), 19–49 (1981). doi:10.1086/288975
- Griffiths, P., Stotz, K.: Genetics and Philosophy: An Introduction. Cambridge University Press, Cambridge (2013). doi:10.1017/CBO9780511744082
- Lloyd, E.A.: Adaptationism and the logic of research questions: How to think clearly about evolutionary causes. Biological Theory 10(4), 343–362 (2015). doi:10.1007/s13752-015-0214-2
- Clarke, E.: The problem of biological individuality. Biological Theory 5(4), 312–325 (2010). doi:10.1162/BIOT a 00068
- DiFrisco, J.: Kinds of biological individuals: Sortals, projectibility, and selection. The British Journal for the Philosophy of Science 70(3), 845–875 (2019). doi:10.1093/bjps/axy006
- Godfrey-Smith, P.: Darwinian individuals. In: Bouchard, F., Huneman, P. (eds.) From Groups to Individuals: Evolution and Emerging Individuality, pp. 17–36. MIT Press, Cambridge, MA (2013)
- Moran, N.A., Sloan, D.B.: The hologenome concept: Helpful or hollow? PLOS Biology 13(12), 1–10 (2015). doi:10.1371/journal.pbio.1002311
- Douglas, A.E., Werren, J.H.: Holes in the hologenome: Why host-microbe symbioses are not holobionts. mBio 7(2), 02099–15 (2016). doi:10.1128/mBio.02099-15
- Theis, K.R., Dheilly, N.M., Klassen, J.L., Brucker, R.M., Baines, J.F., Bosch, T.C.G., Cryan, J.F., Gilbert, S.F., Goodnight, C.J., Lloyd, E.A., Sapp, J., Vandenkoornhuyse, P., Zilber-Rosenberg, I., Rosenberg, E., Bordenstein, S.R.: Getting the hologenome concept right: an eco-evolutionary framework for hosts and their microbiomes. mSystems 1(2), 00028–16 (2016). doi:10.1128/mSystems.00028-16
- Lloyd, E.A., Wade, M.J.: Criteria for holobionts from community genetics. Biological Theory 14(3), 151–170 (2019). doi:10.1007/s13752-019-00322-w

Ronai et al. Page 11 of 14

 Gánti, T.: Chemoton Theory: Theoretical Foundations of Fluid Machineries. Kluwer Academic/Plenum Publishers. New York (2003)

- Kaiser, M.I.: Reductive Explanation in the Biological Sciences. Springer, Cham (2015). doi:10.1007/978-3-319-25310-7
- 31. Kopac, S.M., Klassen, J.L.: Can they make it on their own? Hosts, microbes, and the holobiont niche. Frontiers in Microbiology 7, 1647 (2016). doi:10.3389/fmicb.2016.01647
- 32. The Human Microbiome Project Consortium: Structure, function and diversity of the healthy human microbiome. Nature 486, 207–214 (2012).
- Hanage, W.P.: Microbiology: Microbiome science needs a healthy dose of scepticism. Nature 412(7514), 247–248 (2014). doi:10.1038/512247a
- Fischbach, M.A.: Microbiome: Focus on causation and mechanism. Cell 174(4), 785–790 (2018). doi:10.1016/j.cell.2018.07.038
- Lynch, K.E., Parke, E.C., O'Malley, M.A.: How causal are microbiomes? A comparison with the Helicobacter pylori explanation of ulcers. Biology & Philosophy 34(6), 62 (2019). doi:10.1007/s10539-019-9702-2
- Bourrat, P., Griffiths, P.E.: Multispecies individuals. History and Philosophy of the Life Sciences 40(2), 33 (2018). doi:10.1007/s40656-018-0194-1
- 37. Neville, B.A., Forster, S.C., Lawley, T.D.: Commensal koch's postulates: establishing causation in human microbiota research. Current Opinion in Microbiology 42, 47–52 (2018). doi:10.1016/j.mib.2017.10.001
- Ross, L.N., Woodward, J.F.: Koch's postulates: An interventionist perspective. Studies in History and Philosophy of Science Part C: Studies in History and Philosophy of Biological and Biomedical Sciences 59, 35–46 (2016). doi:10.1016/j.shpsc.2016.06.001
- van Inwagen, P., Sullivan, M.: Metaphysics. In: Zalta, E.N. (ed.) The Stanford Encyclopedia of Philosophy, Spring 2018 edn. (2018). https://plato.stanford.edu/archives/spr2018/entries/metaphysics/
- O'Connor, T., Wong, H.Y.: The metaphysics of emergence. Noûs 39(4), 658–678 (2005). doi:10.1111/i.0029-4624.2005.00543.x
- El-Hani, C.N., Emmeche, C.: On some theoretical grounds for an organism-centered biology: Property emergence, supervenience, and downward causation. Theory in Biosciences 119(3), 234–275 (2000). doi:10.1007/s12064-000-0018-0
- 42. Malaterre, C.: Making sense of downward causation in manipulationism: Illustrations from cancer research. History and Philosophy of the Life Sciences 33(4), 537–561 (2011)
- 43. Mossio, M., Bich, L., Moreno, A.: Emergence, closure and inter-level causation in biological systems. Erkenntnis 78(2), 153–178 (2013). doi:10.1007/s10670-013-9507-7
- Green, S.: Cancer beyond genetics: On the practical implications of downward causation. In: Brooks, D.S., DiFrisco, J., Wimsatt, W.C. (eds.) Levels of Organization in the Biological Sciences. MIT Press, Cambridge, MA (2020)
- 45. WHO Constitution. https://www.who.int/about/who-we-are/constitution
- Lemon, K.P., Armitage, G.C., Relman, D.A., Fischbach, M.A.: Microbiota-targeted therapies: An ecological perspective. Science Translational Medicine 4(137), 137–51375 (2012). doi:10.1126/scitranslmed.3004183
- Inkpen, S.A.: Philosophy of biology: Health, ecology and the microbiome. eLife 8, 47626 (2019). doi:10.7554/eLife.47626
- Kouhsari, E., Abbasian, S., Sedighi, M., Yaseri, H.F., Nazari, S., Bialvaei, A.Z., Dahim, P., Mirzaei, E.Z., Rahbar, M.: Clostridium difficile infection: a review. Reviews in Medical Microbiology 29(3) (2018). doi:10.1097/MRM.000000000000135
- Abt, M.C., McKenney, P.T., Pamer, E.G.: Clostridium difficile colitis: pathogenesis and host defence. Nature Reviews Microbiology 14(10), 609–620 (2016). doi:10.1038/nrmicro.2016.108
- andCho Young-Seok, C.H.H.: Fecal microbiota transplantation: Current applications, effectiveness, and future perspectives. Clinical Endoscopy 49(3), 257–265 (2016). doi:10.5946/ce.2015.117
- de Groot, P.F., Frissen, M.N., de Clercq, N.C., Nieuwdorp, M.: Fecal microbiota transplantation in metabolic syndrome: History, present and future. Gut Microbes 8(3), 253–267 (2017). doi:10.1080/19490976.2017.1293224
- 52. Wilson, B.C., Vatanen, T., Cutfield, W.S., O'Sullivan, J.M.: The super-donor phenomenon in fecal microbiota transplantation. Frontiers in Cellular and Infection Microbiology 9, 2 (2019). doi:10.3389/fcimb.2019.00002
- Lawley, T.D., Walker, A.W.: Intestinal colonization resistance. Immunology 138(1), 1–11 (2013). doi:10.1111/j.1365-2567.2012.03616.x
- Litvak, Y., Bäumler, A.J.: The founder hypothesis: A basis for microbiota resistance, diversity in taxa carriage, and colonization resistance against pathogens. PLOS Pathogens 15(2), 1–6 (2019). doi:10.1371/journal.ppat.1007563
- Buffie, C.G., Pamer, E.G.: Microbiota-mediated colonization resistance against intestinal pathogens. Nature Reviews Immunology 13(11), 790–801 (2013). doi:10.1038/nri3535
- Borody, T.J., Khoruts, A.: Fecal microbiota transplantation and emerging applications. Nature Reviews Gastroenterology & Hepatology 9(2), 88–96 (2012). doi:10.1038/nrgastro.2011.244
- 57. Wang, S., Xu, M., Wang, W., Cao, X., Piao, M., Khan, S., Yan, F., Cao, H., Wang, B.: Systematic review: Adverse events of fecal microbiota transplantation. PLOS ONE 11(8), 1–24 (2016). doi:10.1371/journal.pone.0161174
- Zhang, Z., Tang, H., Chen, P., Xie, H., Tao, Y.: Demystifying the manipulation of host immunity, metabolism, and extraintestinal tumors by the gut microbiome. Signal Transduction and Targeted Therapy 4(1), 41 (2019). doi:10.1038/s41392-019-0074-5
- Suárez, J., Triviño, V.: A metaphysical approach to holobiont individuality: Holobionts as emergent individuals.
   Quaderns de Filosofia VI(1), 59–76 (2019). doi:10.7203/qfia.6.1.14825
- Hull, D.: Individual. In: Keller, E.F., Lloyd, E.A. (eds.) Keywords in Evolutionary Biology, pp. 180–187. Harvard University Press, Cambridge, MA (1992)
- 61. Lloyd, E.: Units and levels of selection. In: Zalta, E.N. (ed.) The Stanford Encyclopedia of Philosophy, Spring

Ronai et al. Page 12 of 14

- 2020 edn. (2020). https://plato.stanford.edu/archives/spr2020/entries/selection-units/
- Zhou, X., Bent, S.J., Schneider, M.G., Davis, C.C., M.R.Islam, Forney, L.J.: Characterization of vaginal microbial communities in adult healthy women using cultivation-independent methods. Microbiology 150(Pt 8), 2565–2573 (2004). doi:10.1099/mic.0.26905-0
- Zhou, X., Brown, C.J., Abdo, Z., Davis, C.C., Hansmann, M.A., Joyce, P., Foster, J.A., Forney, L.J.: Differences in the composition of vaginal microbial communities found in healthy Caucasian and black women. ISME J. 1(2), 121–133 (2007). doi:10.1038/ismej.2007.12
- Skillings, D.: Holobionts and the ecology of organisms: Multi-species communities or integrated individuals? Biology & Philosophy 31(6), 875–892 (2016). doi:10.1007/s10539-016-9544-0
- Meincke, A.S., Dupré, J., (eds.): Biological Identity. Perspectives from Metaphysics and the Philosophy of Biology. Routledge, London (2020)
- Pradeu, T.: Philosophy of Immunology. Elements in the Philosophy of Biology. Cambridge University Press, Cambridge (2020). doi:10.1017/9781108616706
- Pradeu, T.: The Limits of the Self: Immunology and Biological Identity. Oxford University Press, Oxford; New York (2012). doi:10.1093/acprof:oso/9780199775286.001.0001
- Pradeu, T.: What is an organism? An immunological answer. History and philosophy of the life sciences 32(2-3), 247–267 (2010)
- Gilbert, S.F.: Developmental symbiosis facilitates the multiple origins of herbivory. Evolution & Development 22(1-2), 154–164 (2020). doi:10.1111/ede.12291
- 70. Martens, J.: L'évolution des organismes: Une perspective épistémologique. éditions MATERIOLOGIQUES, Paris (2018)
- 71. Martens, J.: Organisms in evolution. History and Philosophy of the Life Sciences 32(2/3), 373-400 (2010)
- 72. Hooks, K.B., Konsman, J.P., O'Malley, M.A.: Microbiota-gut-brain research: A critical analysis. Behavioral and Brain Sciences 42, 60 (2019). doi:10.1017/S0140525X18002133
- 73. Hooks, K.B., Konsman, J.P., O'Malley, M.A.: Causal clarity and deeper dimensions in microbiota-gut-brain research. Behavioral and Brain Sciences 42, 80 (2019). doi:10.1017/S0140525X19000050
- Finlay, B.B., Pettersson, S., Melby, M.K., Bosch, T.C.G.: The microbiome mediates environmental effects on aging. BioEssays 41(10), 1800257 (2019). doi:10.1002/bies.201800257
- 75. Deines, P., Lachnit, T., Bosch, T.C.G.: Competing forces maintain the *Hydra* metaorganism. Immunological Reviews **279**(1), 123–136 (2017). doi:10.1111/imr.12564
- Cekanaviciute, E., Yoo, B.B., Runia, T.F., Debelius, J.W., Singh, S., Nelson, C.A., Kanner, R., Bencosme, Y., Lee, Y.K., Hauser, S.L., Crabtree-Hartman, E., Sand, I.K., Gacias, M., Zhu, Y., Casaccia, P., Cree, B.A.C., Knight, R., Mazmanian, S.K., Baranzini, S.E.: Gut bacteria from multiple sclerosis patients modulate human T cells and exacerbate symptoms in mouse models 114(40), 10713–10718 (2017). doi:10.1073/pnas.1711235114
- Parks, B.W., Nam, E., Org, E., Kostem, E., Norheim, F., Hui, S.T., Pan, C., Civelek, M., Rau, C.D., Bennett, B.J., Mehrabian, M., Ursell, L.K., He, A., Castellani, L.W., Zinker, B., Kirby, M., Drake, T.A., Drevon, C.A., Knight, R., Gargalovic, P., Kirchgessner, T., Eskin, E., Lusis, A.J.: Genetic control of obesity and gut microbiota composition in response to high-fat, high-sucrose diet in mice. Cell Metabolism 17(1), 141–152 (2013). doi:10.1016/j.cmet.2012.12.007
- Sampson, T.R., Debelius, J.W., Thron, T., Janssen, S., Shastri, G.G., Ilhan, Z.E., Challis, C., Schretter, C.E., Rocha, S., Gradinaru, V., Chesselet, M.-F., Keshavarzian, A., Shannon, K.M., Krajmalnik-Brown, R., Wittung-Stafshede, P., Knight, R., Mazmanian, S.K.: Gut microbiota regulate motor deficits and neuroinflammation in a model of Parkinson's disease. Cell 167(6), 1469–148012 (2016). doi:10.1016/j.cell.2016.11.018
- Sharon, G., Cruz, N.J., Kang, D.-W., Gandal, M.J., Wang, B., Kim, Y.-M., Zink, E.M., Casey, C.P., Taylor, B.C., Lane, C.J., Bramer, L.M., Isern, N.G., Hoyt, D.W., Noecker, C., Sweredoski, M.J., Moradian, A., Borenstein, E., Jansson, J.K., Knight, R., Metz, T.O., Lois, C., Geschwind, D.H., Krajmalnik-Brown, R., Mazmanian, S.K.: Human gut microbiota from autism spectrum disorder promote behavioral symptoms in mice. Cell 177(6), 1600–161817 (2019). doi:10.1016/j.cell.2019.05.004
- 80. Vijay-Kumar, M., Aitken, J.D., Carvalho, F.A., Cullender, T.C., Mwangi, S., Srinivasan, S., Sitaraman, S.V., Knight, R., Ley, R.E., Gewirtz, A.T.: Metabolic syndrome and altered gut microbiota in mice lacking Toll-like receptor 5. Science 328(5975), 228–231 (2010). doi:10.1126/science.1179721

Ronai et al. Page 13 of 14



Figure 1 All participants of the summer school. Front row (from left to right): Linh-Phuong Nguyen, Cybèle Prigot-Maurice, Jacqueline M. Wallis, Thomas Pradeu. Back (from left to right): Guglielmo Militello, Marie Vasse, Isobel Ronai, Javier Suárez, Matt Sims, William H. Morgan, Joana Formosinho, Federico Boem, Gregor P. Greslehner, Adrian Stencel, Saliha Bayir, Scott Gilbert, Malthe Kouassi Bjerregaard, Oryan Zacks, Judith Carlisle, Anna C. Guerrero, Rob Knight, Jan Pieter Konsman, Alice Beck, Salome Rodeck, Quentin Hiernaux, Johannes Martens, Wiebke Bretting.




Figure 2 The physiological individuality continuum. The center of the spectrum represents the theoretical paradigm individual, the "chemoton". Biological entities at the center are maximally individualistic in that they are less metabolically (or genetically) reliant on other organisms, and their barriers are minimally diffuse. As you move out from the center, biological entities become less individualistic, but for different reasons: Biological entities on the left side of the spectrum lack individuality due to their metabolic (and/or genetic) reliance on other organisms. Biological entities on the right side of the spectrum lack individuality due to their diffuse barriers.

Ronai et al. Page 14 of 14

 $\begin{tabular}{ll} \textbf{Table 1} & Plenary lectures from course leaders. \\ \end{tabular}$ 

Presenter, affiliation	Lecture title	Description	Associated references
Thomas Pradeu, The French National Center for Scientific Research and University of Bordeaux (France)	Microbiota and microbiome: a conceptual analysis	Pradeu asked "what do we mean by microbiota?" and pointed out there is no single answer. He also argued that our understanding of microbiota impacts our conception of individuality. Examining the history, meaning, and impact of the microbiota is important when making ontological and epistemological claims concerning individuality.	[2, 18]
	Interactions between the microbiota and the immune system: an immunological point of view on biological individuality	Pradeu highlighted how the function of the immune system has been reconsidered in light of microbiota research. The immune response should be thought of as a dynamic equilibrium, regulated by activating and inhibitory signals as a function of the ecological context and the encountered microbes. Pradeu proposed a physiological individual as a unit of functioning, composed of the host and its microbiota, where the immune system plays a crucial role in the unification of this plurality.	[66, 5, 67, 68]
Scott Gilbert, Swarthmore College (USA) and University of Helsinki (Finland)	Developmental symbiosis and the mapping of novel evolutionary trajectories	Gilbert argued that all metazoans have microbial symbionts and these are important, sometimes essential, for normal animal development and organ generation. For example, the gut of cows has been transformed by symbionts and led to the emergence of their herbivory diet. The close association of organisms and their microbiota therefore opens novel evolutionary trajectories. Organisms have been formed by symbiotic interactions and these close associations open novel evolutionary trajectories.	[17, 69, 4]
Johannes Martens, University Catholique of Louvain (Belgium)	Biological individuality: a conceptual analysis	Martens provided philosophical context for the concept of biological individuality. He distinguished it from other concepts, such as unity, and argued that questions of individuality primarily involve singling out the properties that make an individual distinct. Productive theorizing about individuality does, of course, require considering individuals themselves, but it also involves considering their parts, as well as the collectives they form.	[70, 71]
	Fraternal vs. egalitarian transitions in individuality: two processes, one concept?	Martens argued that there are two concepts associated with transitions in biological individuality. First, fraternal transitions involve a transition in Darwinian individuality (e.g. multicellularity and insect colonies). Second, egalitarian transitions involve a transition in organismality, where the entities share a dependence and mutual benefit (e.g. the eukaryotic cell). The identification of two concepts for major transitions is helpful for exploring the influence of holobionts on evolution at multiple levels of biological organization.	
Jan Pieter Konsman, The French National Center for Scientific Research and University of Bordeaux (France)	Barriers and obstacles in relation to microbiota's host effects	Konsman argued that we ought not confuse the existence of a functional "axis" between the microbiota, host gut, and host brain with the presence of precise mechanistic interactions between the organisms involved in this axis (which remain largely unconfirmed). The biological barriers have a dynamic nature and act more like borders, localized areas over which complex regulation and interaction occurs. Konsman concluded that methodologies and explanations must consider host organization and other higher-level features which can both inform and structure the reductionistic methodologies present in biology.	[72, 73]
Thomas Bosch, University of Kiel (Germany)	The holobiont imperative: towards a holistic understanding of complex life processes	Bosch argued that biology and medicine have historically focused on the host, missing the important role of the microbiota. Using his experimental work on the Hydra metaorganism as a model system for the evolution of biological complexity, Bosch concluded that the metaorganism perspective invites a more holistic and integrative account of an organism.	[74, 75, 11]
Rob Knight, University of California, San Diego (United States)	Beyond the tip of the iceberg: discovering millions more "human" genes in our microbiomes and their links to phenotype	Using his research investigating the impact of microbiota on human health, Knight argued that microbiota research needs to focus more on determining causal pathways, examining the transgenerational effects of microbiota and intervening on the microbiota. On the other hand, even without these possible advances, current microbiota research is already challenging classical philosophy of biology debates - including debates about phenotypes and evolution, as well as what counts as a unit of selection.	[76, 77, 78, 79, 80]