

Generalizations for Cell Biological Explanations:

Distinguishing between Principles and Laws

Sepehr Ehsani

¹ Theoretical and Philosophical Biology, Department of Philosophy, University College London, Bloomsbury, London, WC1E 6BT, United Kingdom

² Ronin Institute for Independent Scholarship, Montclair, NJ, 07043, United States

ehsani@uclmail.net

First version: 20 June 2022 (*Date of last revision: 4 May 2023*)

Abstract

Laws have figured in the development of modern biology (e.g. Mendelian laws of inheritance), but there is a tacit assumption particularly in contemporary cell and molecular biology that laws are only of the 'strict' kind (e.g. the laws of motion or universal gravitation), which cell biology appears to lack. Moreover, the cell-biology-specific non-universal laws that do exist (e.g. scaling laws in biochemical networks within single cells) are few and far between. As discussed elsewhere (and not further argued for in this paper), mechanistic explanations, which are the dominant kind of explanation in cell biology, face significant challenges and their utility has been checkered in different biomedical areas. Just as laws *and* mechanisms figure in explanations in organic chemistry and ecology, fields that deal with lower- and higher-scale phenomena compared to cell biology, respectively, it should not be assumed that cell biology is somehow in a unique position where few or no laws could be discovered and used in its explanations. An impediment to discovering lawlike generalizations in cell biology is that the understanding of many cellular phenomena is still quite qualitative and imprecise. This paper is motivated by the premise that mechanisms and laws can both be in the foreground of explanations in cell biology and that a framework should be developed to encourage and facilitate the discovery of laws specific to and operative at the individual cell level. To that end, in the domain of scientifically-relevant non-universal (i.e. non-exceptionless) generalizations, which some philosophers equate with the notion of *ceteris paribus* laws (henceforth, 'cp-laws'), I propose that a cp-law might have one or more corresponding 'principles'. Using a running example of generalizations of oscillatory movements from physics with direct relevance to cell biology, I argue that while a cp-law and its *paired* principle(s) might have the same explanatory theme (e.g. explain the same phenomenon), a principle is *broader in scope* compared to its paired cp-law but *less expectable* or reliable in its predictions. This is because principles appear to be more qualitative and less numerically precise compared to cp-laws, reflective of our lack of precise understanding of the systems to which the generalizations apply. The principles–laws concept makes for a more lenient approach for what could count as a lawlike generalization and can encourage the discovery of novel generalizations in areas of cell biology where no specific generalizations typically figure in explanations. A principle could be thought of as providing a program for explanation, whereas its paired law provides explanations for specific instances. Newly posited principles could augment mechanistic explanations and also potentially lead to the discovery of corresponding cp-laws.

Introduction	pp. 2–3
1. The pendulum example	pp. 3–5
2. Outlines of a principles–laws framework	pp. 5–7
2.1. Nomenclature	p. 5
2.2. Two criteria: first scope, then precision	pp. 6–7
3. Applicability to biological examples	pp. 7–10
4. Discovering cell biological principles and laws	pp. 10–12
5. Putting principles and laws together with mechanisms	pp. 12–15
6. A pluralistic caveat	pp. 15–16
7. Contextualizing the principles–laws account	pp. 16–17
8. Conclusions	p. 17
Acknowledgements	p. 17
References	pp. 18–21

ACRONYMS:

cp-law *ceteris paribus* law

NPL Newton's pendulum law

PLA principle of least action

Introduction

This paper is concerned with explanations in science that make use of lawlike generalizations. The target domain is molecular and cellular biology ('cell biology' for short) and problems in current cell biological explanations as introduced in previous work (Ehsani, 2020), although the framework proposed here may additionally apply to other scientific disciplines. In fact, various examples from physics and chemistry are referenced in the paper. Moreover, by the term 'laws' I mean to include both strict laws and non-universal (i.e. non-exceptionless) generalizations, which some philosophers equate with the notion of *ceteris paribus* laws (henceforth, 'cp-laws'). However, due to the vast complexity and scale of the unknowns in the field, it is unlikely that strict laws can be uncovered in cell biology and as such the paper is essentially concerned with cp-laws.

The motivation for the paper is to develop a framework to aid in the discovery of new generalizations in cell biology. Using an example from physics as a starting point, I will argue for the thesis that in the domain of scientifically-relevant generalizations, a law might have one or more corresponding 'principles'. These could be thought of as principle–law pairs. While related explananda could be explained in terms of a law and its paired principle, what appears to be a differentiating criterion is a principle's broader scope, in the sense that a principle might often have a wider range of applicable explananda compared to its (actual or hypothetical) paired cp-law. This multidomain nature of a principle may, as a consequence, afford it with less precise

predictions than its paired law (**Figure 1**). This is because by being applicable to a greater range of distinct systems, principles may be more qualitative and less numerically precise compared to laws, perhaps reflective of our lack of precise understanding of the systems to which the generalizations apply and/or because we are generalizing across many distinct systems.

Finally, I argue that the more lenient requirements for positing more qualitative generalizations in the form of principles than laws can facilitate the discovery of lawlike generalizations in areas of cell biology where specific generalizations do not typically figure in explanations. Newly posited principles could then enhance mechanistic explanations and also potentially lead to the discovery of new corresponding cp-laws.

In arguing for the above, I will begin with what could be considered a simple running example from physics (**Section 1**), abstract away from it to outline my framework (**Section 2**), and then reassess the framework against existing examples in biology that are not as clear-cut as the physics case (**Section 3**). This is the first part of this paper’s arguments. In the latter half, I discuss ways in which the proposed framework could aid in the discovery process of cell biological generalizations (**Section 4**) and how these could work together with mechanistic explanations (**Section 5**). Next, I provide a proviso that I am not claiming that mechanisms and generalizations together would be the ‘be-all and end-all’ of cell biological explanations (**Section 6**). Finally, foreshadowing a possible avenue of further investigation, a brief context is provided in view of the broader literature on cp-laws (**Section 7**).




Figure 1. A schematic representation of a principle–law pair [P_1 and L_1] in the domain of non-universal generalizations viewed using a two-dimensional scale.

1. The pendulum example

Let us start with an arguably straightforward example from physics: the case of a pendulum. One way to explain a ‘simple’ swinging pendulum’s harmonic motion is to rely on Newton’s second law of motion ($F = ma$), make certain assumptions such as the lack of friction or a massless cord, and derive a differential equation:

$$\frac{d^2\theta}{dt^2} + \frac{g}{l} \sin \theta = 0$$

Here, g represents the magnitude of the gravitational field, l is the cord's length and θ is the angle from the vertical to the pendulum.¹ For simplicity, let's call this **Newton's pendulum law** (henceforth, '**NPL**'). As such, to help explain a pendulum's swinging motion, a specific derivation from the second law of motion can help predict the changing angle from the vertical to the pendulum over time.

But a physicist might ask why the pendulum moves the way it does, i.e. in a curved line through space and not, for example, in a zigzag manner. The pendulum's non-zigzag motion can perhaps be said to be assumed in NPL (and is predicted by it), but it is in no way obvious how NPL can explain the non-zigzag mode of motion. Is there a way of getting at this 'why' question? Writing in 1989, Wesley Salmon emphasized that "virtually all philosophers of science of widely diverse persuasions agree that science can teach us, not only *that*, but also *why*" (Salmon, 1989, p. 181). To that end, physicists may appeal to the **principle of least action** (henceforth, '**PLA**').² The PLA is not new; indeed, it traces its origins to the 18th century in the works of Pierre Louis Maupertuis, Leonhard Euler and Gottfried Leibniz. In one sentence, the PLA states that a "physical system seeks out the 'flattest' region of 'space'" (Coopersmith, 2017, p. 4). What does this mean, exactly? Jennifer Coopersmith explains as follows: "The Principle of Least Action postulates that when a physical system goes from a prescribed initial state to a nearby prescribed later state, the path connecting these states is a path of tiny incremental changes in action,³ and, of all possible paths, the path actually followed is the one for which the total change in action has exactly the same value as it does for all infinitesimally close-by paths – in other words, the actual path occurs in a 'flat' region of the 'space-of-paths'" (p. 192).

This principle not only concerns motion in the strict sense, but also such things as fields, given the PLA's applicability to Maxwell's equations of electromagnetism (Landau & Lifshitz, 1975, pp. 66–88; Moore, 2004). Indeed, the PLA apparently underlies many things in physics, from Newton's laws to relativistic laws, laws of thermodynamics and so on. Going back to the case of the pendulum, thinking of it as a particle, it might be said that it "feel[s] out the entire path before deciding which way to go [and] at each stage along the trajectory, the particle has only to minimize the action between a point in time and a neighboring point in time" (Suskind & Hrabovsky, 2013, p. 114). Hence, the PLA "just becomes a differential equation at each instant that determines the immediate future" (p. 114).

Going in-depth into the details of the PLA is too technical, but an analysis provided by Benjamin Smart and Karim Thébault is helpful in envisioning one way in which the PLA can relate to things such as Newton's

¹ The simple and accessible wording and equation are from the *Wikipedia* article on "Pendulum (mechanics)" ([https://en.wikipedia.org/wiki/Pendulum_\(mechanics\)](https://en.wikipedia.org/wiki/Pendulum_(mechanics))). For more in-depth perspectives on equations representing the motion of a pendulum, see (Antman, 1998; G. L. Baker & Blackburn, 2005).

² The PLA has a related principle called the principle of stationary action, but the technical nuances between them are not germane to my arguments. The PLA is a member of a broad class of so-called variational principles (not further expanded on here). For a discussion on the history of the reception of the PLA in the philosophy of science of the past century, see (Stöltzner, 2003).

³ 'Action' is a postulated scalar quantity, having "dimensions of *energy* \times *time*, or *linear momentum* \times *distance* or *angular momentum* \times *angle*, and so on" (Coopersmith, 2017, p. 5). Where do these requirements come from? Coopersmith explains: "In one of its first incarnations, 'action' was given as ' $m \times v \times ds$ ', where m is the mass of a 'free' particle, v is its speed, and ds is a small distance along the particle's path. As we have to do with a postulate, we cannot justify the choice by deduction from even more elemental principles. Nevertheless, 'action' does seem like a worthy candidate for a telling physical quantity - it is a scalar (a pure magnitude, having no direction - therefore more likely to be an invariant), it 'spans the physical space' (nothing crucial is missed out), and it does so in the simplest way possible ($mvds$ is postulated rather than, say, $m^2v^3d^4s/dt^4$)" (p. 5).

laws (Smart & Thébault, 2015). The authors propose thinking about generalizations in physics in terms of two categories, namely “instantaneous laws” and “atemporal” principles. In the case of instantaneous laws, which Smart and Thébault say include “Newton’s law of gravitation, Maxwell’s laws of electromagnetism and the Schrödinger equation in quantum mechanics[,] if one knows the state of the system at a given time t , one can apply the instantaneous laws and predict the state of the system at $t + 1$ ” (p. 387). On the other hand, the PLA is an example of “the fundamental meta-laws underlying an atemporal nomology; they state that for any given physical system, and any specified initial and final conditions, that system will evolve through the sequence of states that minimize, or more accurately, extremize, a quantity called ‘action’” (pp. 387–388).

For now, let us think of the PLA as simply being more general than Newton’s laws and yet related in interesting ways, and leave it at that. The PLA–NPL pair will be this paper’s running example. In the next section, I will suggest some conclusions that could potentially be made from these generalizations.

2. Outlines of a principles–laws framework

Two preliminary topics can be raised using the PLA–NPL example. The first is the issue of nomenclature, and, the second, the question of the criteria that may set the two generalizations apart.

2.1. Nomenclature

Notice that it just so happens that, historically, NPL (in view of the second law of motion) can be called a ‘law’ and the PLA a ‘principle’. There is no systematic terminology historically as to what generalization to call a law and what to call a principle. There are some precedents in the literature where attempts have been made to distinguish between laws and principles, e.g. (Clay, 1946; McDonald, 2009), but no systematic framework has taken hold. Relatedly, Nancy Cartwright and colleagues, for instance, note in a recent paper that “we shall use ‘laws’ and ‘principles’ interchangeably, depending on what is common usage for the ones under discussion” (Cartwright, Pemberton, & Wieten, 2020, p. 3). In scientific practice, the use of these terms is also not systematized. For example, biologists can sometimes refer to “laws” of evolution (Koonin, 2011) but also “principles” of evolution (Prud’homme, Gompel, & Carroll, 2007). In other areas of biology, one encounters different nomic terms: laws (e.g. Mendelian laws of inheritance), theorems (e.g. the Price theorem on allelic frequency), rules (e.g. Foster’s rule in ecology), and principles (e.g. Lack’s principle in evolutionary biology).

Given the mostly mixed use of these terms in the literature, is there any justification in thinking of a law and a principle as distinguishable entities, as hinted at by NPL and the PLA? In arguing in the affirmative, I believe there are both historical and ordinary-language justifications for this. The development of the concept of ‘laws of nature’, especially since Descartes, suggests a strong connection with the societal notions of law (and the lawgiver) and the implantation of those concepts to the study of the natural sciences (Ott, 2009). Indeed, there are clear semantic demarcations between laws and principles in legal theory. Consider, for instance, that there exists the *principle* of the universality of human rights which has then given rise to (and has been used as a basis for) international human rights *law* and various national human rights *laws*. In the same vein, national legislative bodies do not enact principles; they enact specific laws. This is therefore an example of a clear and distinct use of the two words.

2.2. Two criteria: first scope, then precision

Moving on from the choice of terminology, what can be said of our example generalizations' features? While both the PLA and NPL can apply to the same phenomenon (i.e. a pendulum's harmonic motion), the PLA appears to be more qualitative and less numerically precise. These conditions may allow it to be more general: "Newton's laws cannot be extrapolated to things that are very small or very fast or very large [...] From a principle of least action we can derive Maxwell's equations, and can use this principle in relativity if we find the correct form for the action" (Hanc, Tuleja, & Hancova, 2003, p. 391). Thus, the PLA can still be applicable when, for example, deriving Maxwell's equations of electromagnetism, which concern phenomena that are obviously distinct from the movement of a pendulum.

It seems that we can encapsulate this multidomain nature of the PLA as having a *broader scope*. Many more physical phenomena could be explained in terms of the PLA (albeit with some work) than NPL. NPL, by definition, is concerned only with motion, and simple harmonic motion for that matter. I propose a simple account of scope here, limited to our current discussion and not implying applicability to all uses of the term 'scope': a broader scope can imply that compared to an actual or hypothetical corresponding law,⁴ a principle might apply to a broader range of phenomena to be explained (i.e. more *domains* of explanations). This can result from the more qualitative and general formulation of the principle. Also notice that in our example, NPL happens to be derivable from the PLA (Hanc et al., 2003),⁵ but I am not claiming that laws should somehow always be mathematically or conceptually derivable from their corresponding principles. Their minimum connection, I am claiming, is their related explananda.

Analogous takes on scope have also been put forward by others. To name one example, Michael Morreau analyzes models of the solar system and compares their scope as follows:

"Suppose we count Copernican and Ptolemaic models as having the same scope, meaning that they are both about the same thing: where the celestial bodies are, and when. Newtonian astronomy, which additionally addresses the physical causes of their motion, we count as having greater scope than they have. [...] Surely the Copernican and Ptolemaic models could not have been about something other than the positions of celestial bodies. Newtonian astronomy could not have lacked the theory of gravitation, and yet still have been the theory that it is. The scope of these theories, in this sense of 'scope' [...] is just a matter of which theories they are" (Morreau, 2015, pp. 249–250).

Morreau equates scope with being "about the same thing", or *domains of explanation* in my account. But the characterization of the PLA and NPL cannot stop here, for we still haven't said much about a principle's greater qualitative-ness and lower numerical precision.

If the PLA has a broader scope than NPL, it may follow as a *consequence* that it also has lower *precision of predictions*: NPL affords numerically precise predictions, whereas the PLA requires some

⁴ A principle's corresponding law might either already exist (i.e. an actual law) or its possible existence might have been envisaged (i.e. a hypothetical law).

⁵ In their analysis, Jozef Hanc and colleagues state that the PLA can lead to Newton's second law "and only ordinary calculus is needed to derive almost all of classical mechanics" (Hanc et al., 2003, p. 386).

elaboration using natural language or other means to determine what exactly it is predicting in a particular circumstance. More broadly, we can posit that relative to their paired laws, principles might afford less precise predictions due to their less formal formulations. The connection between the criterion of broadness of scope and this secondary criterion of precision of prediction might have to do with the degree of vagueness or uncertainty in a generalization, but this requires a fuller analysis elsewhere.

Do analogous takes on the precision of predictions criterion exist in the literature on scientific laws? In fact, this criterion can be thought of as being related to the notion of ‘expectability’, one of the criteria proposed by Sandra Mitchell to differentiate among scientific laws, the other two being ‘stability’ and ‘abstraction’ (Mitchell, 2000). Expectability, or specifically ‘nomic expectability’, is a hallmark of generalizations, particularly from the perspective of Carl Hempel’s accounts of explanation (Strevens, 2000; Weslake, 2010). Hempel wrote that a deductive-nomological explanation “explains the explanandum phenomenon by showing that it was to be expected in view of the general laws adduced, given the particular circumstances specified” (Hempel, 1968, p. 116), whereas an inductive-statistical explanation explains “*r*’s being *G* by showing that this is to be expected, with probability *r*, in view of the general statistical law and the statement of particular fact included in the explanans” (p. 117).⁶ These ideas have been revived in recent years, for example in the work of Roger Deulofeu and Javier Suárez who advocate that “the use of scientific laws is supposed to be a minimal requirement of all scientific explanations, since the purpose of a scientific explanation is to make phenomena expectable” (Deulofeu & Suárez, 2018, p. 95) (see also (Díez, 2014)). In the case of our example, one could ask of the PLA “what exactly is to be expected?”, or “what exactly is a ‘flat’ space in a particular situation?”. If the relationship among variables stipulated in a generalization is imprecise (or no variables are stipulated at all), then it is less clear what exactly is to be expected based on the generalization in each context.

The framework and criteria discussed here have thus far been demonstrated using our example from physics. Next, I will turn to the question of whether other examples, particularly in biology, support these claims.

3. Applicability to biological examples

The pendulum example was chosen as a starting point because it is immediately relatable. However, given that our target domain is cell biology, we also need to look at examples from biology. It would have been ideal if well-established generalizations analogous to the PLA and NPL could be found in cell biology concerning a related explanandum. But such paired generalizations are very difficult to find in current cell biology, and hence the motivation of this paper to encourage their discovery. Having said that, isolated cases can indeed be found. For example, the **rate–length law of protein folding** is one of the very few cell-biology-specific laws that has been postulated in the literature. It describes how the time it takes a protein to fold scales with the length of the protein’s chain of amino acids (Chan & Dill, 1991; Lane & Pande, 2013; Nassar, Dignon, Razban, & Dill, 2021). It has a mathematical (Gaussian) formulation with a number of stipulated parameters. Its scope is restricted to explaining protein folding, and it makes specific predictions about protein folding. In a sense, it

⁶ Incidentally, Hempel looked at the explanation afforded by another variational principle, namely Fermat’s principle of least time (Hempel, 1965, p. 353). See also (Reutlinger, 2018, p. 82).

can be thought of as analogous to NPL; however, a cell-biology-relevant principle analogous to the PLA is currently lacking. This is an interesting area for further investigation.

Even though there may not currently be a principle that could definitively be paired to the rate–length law of protein folding, an instance of a cell-biology-specific principle does exist that is at least in the same explanatory ballpark: the **goldilocks principle of protein function**. It is exemplified by chaperones (a type of protein), and states that such proteins “can exist in many different shapes and forms that need to be ‘just right’ for efficient function” (Radford & Karamanos, 2021, p. 397). Even though perhaps not obviously pairable with the rate–length law, for the sake of argument, we can see that it is much broader in the domains it could potentially apply to than the law: it might as well also apply to other macromolecules, not just proteins. Furthermore, compared to the law, it does not make specific numerical predictions. In a case study on Alzheimer’s disease (Ehsani, 2022), I propose two further cell-biology-specific principles that also share these characteristics with the goldilocks principle.

Finding biological examples of a paired principle and law is somewhat easier if we move beyond cell biology, for example to the domain of evolutionary biology. A recent growth law, called the **biophysical law for beak morphogenesis**, has been proposed that applies specifically to the beak properties of Darwin’s finches (Al-Mosleh, Choi, Abzhanov, & Mahadevan, 2021).⁷ This was derived based on the evolutionary **principle of adaptive radiation**, generally defined as “the rapid (sometimes ‘explosive’) origin of taxonomic, ecological and morphological diversity as a consequence of adaptation to novel or hitherto underutilized ecological niches” (Salzburger, 2018, p. 705). The principle of adaptive radiation applies to the diversity of all organisms in various environments, whereas its paired biophysical law for beak morphogenesis applies only to the properties of the beaks of Darwin’s finches. The biophysical law is also expressed mathematically as a paraboloidal function precisely linking beak properties such as length, width and depth. Therefore, the principles–laws framework appears to hold here as well (see **Figure 2** for a visual depiction of some of the described principles and laws).

⁷ The authors found that “in addition to beak size, beak shape is determined using its orientation relative to the skull, aspect ratios, and curvatures” (Al-Mosleh et al., 2021, p. 5). Also, the biophysical law for beak morphogenesis is a cp-law. For example, the authors note that in their cellular and tissue model, they “assume that each cell produces the morphogen χ at a constant rate P , which subsequently diffuses with diffusion constant D_c and degrades at a rate given by Γ ” (p. 6).




Figure 2. Two-dimensional illustrative plot of a number of generalizations based on best-guess-assigned values for the criteria of broadness of scope and precision of predictions. I realize that others may assign different values and/or disagree with quantifications of this sort to begin with. (The generalizations in this group that have an established ‘law’ or ‘principle’ label in their name probably acquired their label according to convention and their historical development.) As is apparent, the generalizations called ‘principles’ occupy the imaginary bottom right ‘quadrant’, whereas the laws are closer to the top left quadrant. Interestingly, a generalization such as the second law of thermodynamics seems to lie somewhere in the middle of this space, indicating that based on the proposed framework here, it is a generalization that could arguably also be called a principle. Moreover, various corresponding pairs of generalizations have been indicated with dotted lines. The running example generalizations of **NPL** (derived from Newton’s second law of motion) and the **PLA** are indicated in bold. Of note, the PLA, the second law of thermodynamics and Newton’s second law of motion have been proposed to be linked together in intriguing ways: not only are the two laws derivable from the PLA, but the three generalizations may all be facets of the same law (Annala, 2021; Kaila & Annala, 2008). The unconfirmed connection between the rate–length law of protein folding and the goldilocks principle of protein function is indicated with a question mark. The principle of cellular synchrony discussed in Ehsani, 2022 (for which no corresponding law has been postulated) is also plotted. Lastly, Kleiber’s law of metabolic scaling, as a specific case of allometric laws in physiology that concern the scaling of various biological processes relative to body size (Spence, 2009), is also shown.

Before closing this section’s discussion, two questions should be clarified. First, having surveyed a few biological generalizations and what sets them apart, what *commonalities* do they share together and also with the PLA and NPL? These principles and laws can all share four characteristics by virtue of being non-universal generalizations, albeit to varying degrees: they can figure in explanations and predictions, support counterfactuals, be inductively confirmed, and they “may be used for purposes of manipulation” in an experimental system (Reutlinger, Schurz, Hüttemann, & Jaag, 2021 § 1.1). In the case of NPL, it can provide

a very specific explanation and prediction for a swinging pendulum's motion but is limited to such systems and cannot apply to other kinds of motion (such as circular motion) and perhaps lead to some kind of explanatory unity of disparate systems; this is something that the PLA could potentially do across many physical systems. The mathematical formulation of NPL can facilitate a straightforward counterfactual test of its statement, and also allow for precise variables to be selected for testing and manipulation. This also allows a direct pathway towards the confirmation of the mathematical relationship posited in this particular law (bearing in mind its idealized assumptions).

Second, when we say that the PLA has a broad scope, why can it not be applicable to cell biology? To be sure, laws and principles of physics should conceivably figure at some fundamental level in cell biological processes. But such physical principles, and the PLA in particular, should be adapted to the larger scale of cellular phenomena if they are to be relevant in cell biological explanations. Consider, for example, that in chemistry, moving from explaining an atom to explaining a molecule has entailed the development of molecular orbital theory, since atomic orbital theory alone is not sufficient. We also need generalizations specific to the scale of cell biological phenomena. Furthermore, there are already precedents for this: Hyunju Kim, Harrison Smith and colleagues have discovered that “comparing real biochemical reaction networks to random reaction networks reveals that the observed biological scaling is not a product of chemistry alone but instead emerges due to the particular structure of selected reactions commonly participating in living processes” (Kim, Smith, Mathis, Raymond, & Walker, 2019, p. 1) (see also (Gagler et al., 2022)). We can thus search for bona fide cellular network scaling laws.

Having considered the above examples, why is it difficult to find more cases of generalizations and their use in cell biological explanations in the first place?

4. Discovering cell biological principles and laws

Let us first start with biology as a whole. Generalizations have indeed figured in the development of modern biology, and they continue to play important explanatory roles in developmental biology, ecology, systems biology and so on. To name a few examples, one could point to laws in ecology (Linguist et al., 2016), laws in biogeography (Simberloff, 1974), laws in embryology (Abzhanov, 2013), network ‘principles’ in systems biology (Barberis & Verbruggen, 2017) and ‘principles’ in behavioral neuroscience (Herzfeld, Hall, Tringides, & Lisberger, 2020; Perez Velazquez, Mateos, & Guevara Erra, 2019). I should note that the preceding law/principle designations are as per the original usages in the cited literature.

In many of these fields, there is reliance on explanations that feature both mechanisms and laws. Focusing on ecology, for example, an explanation can contain the mechanism of predator search behavior coupled with the Lotka–Volterra equations, a pair of nonlinear differential equations that model the dynamical interactions of two species (Hein et al., 2020; Hein & Martin, 2020; O'Dwyer, 2020). This is a field that deals with higher-scale phenomena compared to cell biology. But the situation is the same when we consider organic chemistry, a field that concerns lower-scale phenomena compared to cell biology. There, too, laws and mechanisms figure in explanations: for example, reaction mechanisms and laws of thermodynamics are

present in organic synthesis explanations (Norman & Coxon, 1993). In fact, the degree to which an organic chemistry explanation invokes thermodynamic laws can be crucial. For example, on studying the reaction mechanism of urea decomposition, one group of authors notes that “previous models did not pay much attention to the thermodynamics of the system” (Tischer, Bornhorst, Amsler, Schoch, & Deutschmann, 2019, p. 16788), whereas their proposed reaction scheme (i.e. their explanation) “is stringently based on thermodynamics” and “closer to the real processes than the previously published mechanisms” (p. 16788).

My argument here is that we should not suspect that cell biology is somehow in a unique position where few or no generalizations could be discovered and used in its explanations. To be sure, mechanistic explanations have been quite successful in cell biology and are relatively easy to grasp and comprehend. This may be because understanding structures or dependencies requires seeing or grasping them (Grimm, 2015), something that mechanistic explanations facilitate. But as argued elsewhere (Ehsani, 2019, 2020), mechanistic explanations face challenges in cell biology and their utility has been checkered in different biomedical areas. A parallel focus on discovering cell-biology-specific generalizations is thus called for; however, a big impediment is that our understanding of many cellular phenomena is still quite qualitative and imprecise. And this is exactly where the principles–laws framework could be of use. A biologist would not need to look for laws in the first instance; they could look for principles: e.g. natural-language descriptions of patterns or regularities that seem pertinent to the phenomenon being studied. As such, discoveries of generalizations could be simplified by allowing for a greater range of generalizations to be considered for their explanatory utility and also potentially connecting a newly proposed generalization with related principles and laws on the scope–prediction dimensions (**Figure 2**, and **Figure 3** below).




Figure 3. A schematic representation of a principle–law pair [P_1 and L_1] on a two-dimensional scale that adds more detail to the concept presented in **Figure 1**. The main intention of this paper is to propose this dyadic connection [P_1 and L_1]; however, in theory, other connections are also possible: (i) a more ‘general’ principle [P_0] paired with a given principle (P_1), (ii) pairwise connections between laws themselves [L_1 – L_3], and more than one principle [P_1 and P_2] being paired with a law [L_3].

In fact, sometimes a discovery may not even immediately begin with a principle, but with practical ‘rules of thumb’. Aromaticity ‘rules’ in organic chemistry are a good case in point. A variety of such rules have been posited, each with its own limitations. One of the more widely-known aromaticity rules, Hückel’s rule,

states that “annulenes with $4n + 2$ π -electrons (where n is an integer) are aromatic” (Solà, 2022, p. 585). Why have discovering these ‘rules’ been useful? As Miquel Solà points out, these “allow chemists to better understand molecules and their behaviour, as well as identify the formation or elimination of (anti)aromatic species in a reaction, which helps understand and predict possible outcomes” (p. 585). But the ultimate goal is to arrive at a unified generalization: “perhaps more important than drawing up different rules for different situations or classes of compounds is the idea to generalize the existing rules and connect them to each other” (p. 589). Indeed, how and in what order a discovery of a principle or law is made cannot be formulated. Once awareness of the potential for biological principles exists, the creative process that brings a scientist from observation and experimentation to discovery is a mysterious path. Charles Sanders Peirce termed this process ‘abduction’, suggesting that it “occurred when on the presentation of some, perhaps unexpected, facts we adopt a hypothesis to explain these facts [and] He regarded this as the reasoning typical of scientific discovery” (White, 1971, p. 294).

An important question, one that I will acknowledge here but have expanded on in the Alzheimer’s case study (Ehsani, 2022), is what evidence might be required to empirically assess a proposed principle. If a newly-positing principle or law could in theory be empirically testable (preferably in different settings), it will have a much greater chance of gaining traction in cell biological practice and explanations. For instance, “the theory of evolution is accepted not because each experiment and observation from Charles Darwin’s 1859 book *On the Origin of Species* was independently replicated, but because the principles derived from them were verified across widely different settings” (Costa & Schoenbaum, 2021, p. 201). Recall that for many areas in cell biology where a principle might be posited, no other form of generalization has been specifically proposed because known cell biological laws are few and far between; therefore, it is not the case that one is positing a principle in a space of generalizations that already has various corresponding laws. Furthermore, in positing new principles, it is vital to be mindful of the pitfalls of ‘overgeneralization’ if the evidence is too thin (Guttinger & Love, 2019).

Now, assuming that new principles and laws do begin to be discovered, how exactly can they work in the context of existing mechanistic explanations in cell biology, and how can the overall explanation be enhanced?

5. Putting principles and laws together with mechanisms

To answer the above question, first a brief clarification: there has been a continuing debate about the primacy of mechanisms and laws in special science explanations. Among the views, one concerns the dependence of mechanisms on laws, e.g. “while some laws and counterfactuals must be taken as primitive (non-mechanistic) facts of the world, all mechanisms depend on laws/counterfactuals” (Ioannidis & Psillos, 2017, p. 154). Another links mechanisms and laws through the notion of regularities: “regularities are what laws describe and what mechanisms explain” (Andersen, 2011, p. 325). But here I subscribe to what might arguably be called a consensus view expressed by Carl Craver and Marie Kaiser: “no mechanist denies that there are pragmatically useful regularities [that afford prediction, explanation, and control of biological phenomena]. And nobody who thinks there are pragmatically useful regularities should feel any pressure to deny that the search for

mechanisms is central to the practice of biology and many other sciences” (Craver & Kaiser, 2013, p. 143). In the ‘principled mechanistic’ (PM) framework motivating this work, the point is that both mechanisms and laws can be in the foreground of explanations in cell biology.

A traditional view of explanations, which I am stating here not necessarily as an endorsement, is that “to explain an event is simply to bring it under a law [understood as any uniformity of nature]; and to explain a law is to bring it under another law” (Hospers, 1956, pp. 98–99).⁸ While discovered principles or laws could be put forward to independently explain a particular cellular phenomenon, they could additionally enhance an existing mechanistic explanation by allowing different aspects of the mechanism to be explained in terms of them. These dynamics can be seen in organic chemistry explanations. Laws of thermodynamics can help (i) predict something about the reaction being studied and (ii) provide some sort of quantification for the yield of the reaction. These could arguably be achieved without necessarily appealing to the mechanistic details of the reaction. However, the thermodynamic notion of ΔG (the change in Gibbs free energy) can also (iii) be applied to the details of the reaction mechanism itself to reveal new insights. As an example, chemists have used thermodynamic notions of molecules’ lowest free-energy states to study the immensely complex mechanism of hydrogen bond formation among clusters of water molecules (Richardson et al., 2016), allowing them to reveal how the bond formation mechanism itself might be operating (see also (Llored, 2011)).

Analogously, in cell biology, a generalization could provide independent explanation of a phenomenon, such as the rate–length law of protein folding or the goldilocks principle of protein function explaining the form or function of a protein independently of and without reference to other cellular mechanisms. Nevertheless, a principle or law could also help explain the ‘activity’ of a ‘part’ within a broader *mechanistic* explanation (e.g. a protein’s specific enzymatic function), or the interaction of some parts (e.g. a principle explaining protein–protein interactions), and so on up to a mechanism’s overall function (e.g. a principle explaining the outcome of the cellular mechanism of action potential propagation along a neuronal axon). This outlined strategy seems to be thematically in line with stances argued for by Cartwright and William Bechtel regarding mechanisms and laws: “typically in mechanistic explanations, the account of what the parts are expected to do in context uses already established principles, typically *ceteris paribus* laws” (Cartwright & Pemberton, 2021, p. 2) and “laws may be invoked to characterize the overall functioning of the mechanism or some of its operations” (Bechtel, 2011, p. 537).

Of note, an analogy to computer programs may be apt here: as Frank Jackson and Philip Pettit point out, a computer program can ensure “that certain things will happen – things satisfying certain descriptions – though all the work of producing those things goes on at a lower, mechanical level” (Jackson & Pettit, 1990, p. 114). Generalizations could act as such programs. The analogy could be extended further: high-level programming languages can be compared to principles (higher generality and abstraction from the hardware details) vs. laws which might be akin to low-level programming languages that are ‘machine-readable’ (see (Frampton et al., 2009)). In addition to generalizations acting to ‘program’ the mechanistic part of a PM

⁸ Commenting on nomic generalizations in explanations, David-Hillel Ruben notes that “citation of an appropriate regularity can show that the phenomenon about which I may be perplexed or puzzled is, in any case, not atypical or extraordinary or irregular in any way” (Ruben, 2012, p. 185).

explanation, the explanation may become more 'complete' in that the addition of principles/laws could heuristically lead to the discovery of missing parts, interactions and activities in the mechanistic explanation.⁹

Back to the running example, suppose that a Martian encounters a mechanical clock and its pendulum but doesn't know what they do (assuming nonetheless that the Martian has some concept of time). Now, the PLA may in an abstract way explain the overall behavior of the pendulum. But NPL can have a more specific enhancing behavior. It can, for instance, shed light on the interaction of the pendulum and the immediate mechanical parts connected to it: how does the length of the pendulum's cord contribute to how fast a connected cogwheel rotates. Moreover, the law can lead to new puzzles for the mechanistic explanation of the clock. For instance, the law assumes the bob (the mass on the end of the pendulum) is a point mass. If, however, the Martian sees two identical clocks but with two different bob sizes (same mass) keeping time differently, this hints that the law's proviso concerning point masses is a critical omission, and that the overall mechanistic explanation should make reference to both the bob's mass and size. Puzzles of this nature are potentially numerous even in simple cases like this. Lastly, circling back to the debates in the literature about the relationship between mechanisms and laws, these examples are compatible with how a given generalization "contributes to the search for mechanisms" (Craver & Kaiser, 2013, p. 127). Indeed, when a number of equally likely mechanisms have been proposed to explain a given phenomenon, the addition of a particular generalization in the form of a principle or law to the explanation could restrict the choice of likely mechanisms. For example, in explanations in evolutionary biology, when a few equally likely mechanisms for the emergence of a particular gene or trait are proposed, the mechanism that most closely adheres to a principle of parsimony or Ockham's razor (i.e. with the fewest possible steps and modifications) is usually the preferred explanation (Ehsani et al., 2011; Gross, 2019; Steel & Penny, 2000).¹⁰

I have discussed some of the many ways in which generalizations and mechanisms can interact in a cell biology explanation. However, on a more basic level, could a newly-proposed generalization in fact really be a mechanism in disguise? This could lead to an extensive metaphysical analysis, but I will summarize my thinking on this using an example. Consider that in protein biology, a current puzzle pertains to why certain sequence-identical proteins twist in a left-handed direction whereas others take a right-handed twist (Kollmer et al., 2019). Now, finding a principle or law that might underlie this difference of behavior can perhaps not appeal to any protein-level mechanistic details, because the proteins have an identical sequence. Having said that, the explanation could additionally appeal to the *chemical* mechanisms of the proteins' amino acid residues, but one has then moved to the domain of chemical explanations where chemical laws and principles would be at play, not cell biological ones. This is only a single example and there may be many possible counterarguments in other cases. However, although determining what might undergird laws and principles is

⁹ In the case study paper (Ehsani, 2022), two hypothesized principles are used to illustrate these enhancing functions concerning the mechanistic explanation of Alzheimer's disease.

¹⁰ This scenario can be observed in other areas of science as well: in linguistics, for example, Noam Chomsky writes that the Strong Minimalist Thesis (SMT) "serves a disciplinary function: it restricts the mechanisms that are available for description of language, a necessity if we are to approach the goal of genuine explanation. [However,] less recognized is the fact that SMT also serves an enabling function. It provides options and systems for language that would have no reason to exist if language did not abide by SMT" (Chomsky, 2021, p. 14). Chomsky further notes that in a sense, "SMT is somewhat analogous to the laws of form and structure that determine the space of possible organisms, very narrowly it seems" (p. 14).

a crucial question, I would be more partial toward the pragmatic approach suggested by the chemist Joseph Black (1728–1799) to, in essence, defer such questions until such time as the generalizations have been understood more fully in various explanatory contexts: “let chemical affinity be received as a first principle, which we cannot explain any more than Newton could explain gravitation, and let us defer accounting for the laws of affinity, till we have established such a body of doctrine as he has established concerning the laws of gravitation” (Schofield, 1970, p. 226).

6. A pluralistic caveat

It is important to complement the discussion so far with an important caveat. Although discovering principles and applying them in the context of PM explanations would conceivably enrich our understanding of the target phenomena, the PM framework alone cannot be expected to have the capacity to explain the totality of cellular phenomena in a ‘holistic’ manner. This is because in addition to being explainable in terms of mechanisms and (potentially many) operating biological generalizations, the cell is a ‘computer’ and also constrained by its very physics. The cell is a computer because it computes on a pre-determined genetic program whereby, for example, a caterpillar can only turn into a butterfly and not any other invertebrate. It is constrained in a simpler sense as well: its physicochemical properties. For example, cells are constrained by their physical size (D’Ario et al., 2021), they have no sharp edges,¹¹ or the fluid inside the cell is part of an ‘osmotic system’ which is “not related to any specific activities of the cell” (Konrad, Schott, & Roth-Nebelsick, 2019, p. 161). Similarly, the cell’s cytoplasmic space is so crowded that the movement of proteins and cargo is often influenced by macromolecular ‘crowding’ effects (Dey & Bhattacharjee, 2018). It is not immediately clear how even a combined mechanistic and nomological explanation could account for these features of the cell.

This aspect of cellular life can perhaps best be captured by an explanatory framework termed ‘constraint-based’ explanation. Expounding this approach, Sara Green and Nicholas Jones note that constraint-based explanations essentially try to bring out the “boundaries of the possible biological variation” (Green & Jones, 2016, p. 370).¹² This type of explanation is concerned primarily with the role of mathematical abstractions in biological explanations, a prime example being *topological* explanations of gene/protein networks (Ma, Trusina, El-Samad, Lim, & Tang, 2009). Alan Baker, in exploring the role of mathematics in scientific explanations, has pursued similar directions, but from an ecological constraints standpoint: e.g. “cicadas in ecosystem-type E are limited by biological constraints to periods from 14 to 18 years” (A. Baker, 2009, p. 614).

How exactly constraint-based approaches could be integrated with PM should be the subject of future investigations, but we can at least speculate that pure mathematical generalizations can complement cell biological laws and principles in fruitful ways. Circling back to the running example, consider that an implicit constraint placed on NPL is the very fact that there is a constant downward force of gravity on the pendulum. If the direction or strength of the force of gravity changed every once in a while in a haphazard way, the simple

¹¹ While some cells like certain plant cells have sharp edges and corners at a microscopic level (Gorelova, Sprakel, & Weijers, 2021), at a deeper structural level cells essentially assume various elliptical shapes due to the biophysics of the plasma membrane.

¹² See also (Ross, 2020) for a proposed taxonomy of these constraints.

harmonic motion of the pendulum might not have happened at all, or at least looked very different. Moreover, NPL needed to be modified in a fundamental way to still explain the pendulum's motion.

In summary, a framework that distinguishes principles from laws has been proposed based on an example in physics, and the framework further tested against other generalizations in biology. Following this, I have discussed ways in which the framework could aid in discovering new generalizations in cell biology and how these could be used together with mechanistic explanations. In the final section, I focus on some similarities and points of divergence between my account and existing frameworks within the scientific laws literature.

7. Contextualizing the principles–laws account

As I began with in the introduction, the immense complexity and sheer scale of the unknowns in cell biology make it quite unlikely that *strict* laws can be uncovered in this domain of inquiry and as such all my references to laws have concerned cp-laws. Generalizations in the form of cp-laws are held by some philosophers to represent extant laws in all the special sciences, not just cell biology (Cartwright, 1999; Elgin, 2017), a view that I subscribe to here. In the running example, NPL can also be thought of as a cp-law because of a number of provisos (e.g. having a massless cord, not losing energy due to friction, having the pendulum move in only two dimensions, and a number of other assumptions; see also (Cartwright, 2002)),¹³ but it is not clear without further argument if the PLA should count as a cp-law too. Nevertheless, the question in this final section is whether a template within the cp-laws literature could be found to specifically aid in the *discovery* of new generalizations in cell biology, arguing that it cannot. This may in part be because a main focus of philosophers of scientific laws has been on how the 'space' of non-universal generalizations could be carved up into (usually) non-mutually exclusive categories.

To take a few examples, Gerhard Schurz has proposed to divide cp-laws into 'comparative' vs. 'exclusive' categories (Schurz, 2002). Briefly, "comparative cp-laws require that factors not mentioned in the antecedent or the consequent of the law remain unchanged" whereas "exclusive cp-laws assert the connection between antecedent and consequent only under the condition that certain factors are excluded" (Reutlinger et al., 2021 § 3.1): cf. "ceteris paribus, an increase of gas temperature leads to a (proportional) increase of gas volume (Gay-Lussac's gas law)" (Schurz, 2002, p. 352) vs. "ceteris paribus, planets have elliptical orbits" (p. 352). Exclusive cp-laws are themselves then divided into definite, indefinite and normic subcategories. A definite exclusive cp-law "specifies the disturbing factors which are excluded (or the validity conditions which are required) in the antecedent of the law" (Reutlinger et al., 2021 § 3.2). Schurz later proposed to distinguish all cp-laws from '*ceteris rectis*' laws (other things being *right*) (Schurz, 2014): "the difference concerns the degree of invariance of the causal relation" set out in the law and our knowledge about it (p. 1815). Alternatively, Luke Fenton-Glynn has proposed to distinguish between cp and '*minutis rectis*' laws (the *details*

¹³ In a different take, Barry Ward, writing about a version of the Newtonian pendulum law, held that "the law is derived on the assumption that the only forces operative on the bob are the tension of the string and the Earth's surface gravitational force, mg , and this is well known [...] The CP clause is trivialized, since the content is secured by these implicit but strict background conditions" (Ward, 2007, p. 361).

being right) (Fenton-Glynn, 2016), where the latter “admits of exceptions that aren’t explained by the non-satisfaction of a cp clause” (p. 275). By these accounts, NPL could be considered a *ceteris rectis* law, but it is not immediately clear which category would best fit the PLA.

In all, the cp-laws literature has shed light on the various ways that a generalization can be non-universal: “due to idealizations, by expressing statistical regularities and probability distributions over initial conditions, by drawing on the notion of normality, by being sensitive to changes in initial and background conditions, and so on” (Reutlinger et al., 2021 § 10). To be sure, mapping how non-universal generalizations could be carved out into different categories is important to understanding how these generalizations could figure in explanations. However, I think more amenable to this paper’s goal of encouraging the discovery of laws in cell biology was to step away from looking at *all possible* non-universal generalizations and to focus on some specific non-universal generalizations individually (i.e. NPL and the PLA): How specific or general were they? Could they be expressed in formal terms? Were they more speculative or deduced from known/tested facts? These questions I believe allowed this paper to provide a simpler way of carving out the space of non-universal generalizations—a system more in line with the goal of generalization discovery—compared to the existing granular ontology that focuses mainly on cp-laws alone.

8. Conclusions

Starting off the discussion with two generalizations in physics that could explain aspects of a pendulum’s movement, i.e. a derivation of Newton’s second law of motion (that I referred to as Newton’s pendulum law) and the principle of least action, a framework for non-universal generalizations was then outlined in which a given cp-law could potentially be paired with one or more less-constrained ‘principles’. Paired principles and cp-laws (where one form of generalization *could* be derived or inspired from the other, but not necessarily) can be linked on a two-dimensional space formed by two criteria: the first is the broadness of scope, and the second, a corollary of the first, is the precision of predictions, both relative to an actual or hypothetical corresponding generalization. Compared to cp-laws, principles can be characterized as typically applying to a wider range of phenomena and distinct systems to be explained (and hence can be said to be ‘multidomain’ generalizations). As a consequence, principles may afford less precise predictions across the cases where they could potentially apply because they may be stated in more general, qualitative and imprecise terms. The principles–laws concept makes for a more lenient approach for what could count as a lawlike generalization and can encourage the discovery of novel generalizations in cell biology and their inclusion in PM explanations.

Acknowledgements

I would like to convey my many thanks to Luke Fenton-Glynn and Phyllis Illari for their careful reading of and helpful comments on the draft versions of this paper in 2021 and 2022. Sections of the paper were presented at the UCL Department of Science and Technology Studies’ research day in May 2022 and at the Society for Philosophy of Science in Practice’s biennial meeting in July 2022.

References

- Abzhanov, A. (2013). von Baer's law for the ages: lost and found principles of developmental evolution. *Trends in Genetics*, 29(12), 712–722.
- Al-Mosleh, S., Choi, G. P. T., Abzhanov, A., & Mahadevan, L. (2021). Geometry and dynamics link form, function, and evolution of finch beaks. *Proceedings of the National Academy of Sciences of the United States of America*, 118(46).
- Andersen, H. K. (2011). Mechanisms, Laws, and Regularities. *Philosophy of Science*, 78(2), 325–331.
- Annala, A. (2021). The Matter of Time. *Entropy*, 23(8), 943.
- Antman, S. S. (1998). The Simple Pendulum is not so Simple. *SIAM Review*, 40(4), 927–930.
- Baker, A. (2009). Mathematical Explanation in Science. *The British Journal for the Philosophy of Science*, 60(3), 611–633.
- Baker, G. L., & Blackburn, J. A. (2005). *The Pendulum: A Case Study in Physics*: Oxford University Press.
- Barberis, M., & Verbruggen, P. (2017). Quantitative Systems Biology to decipher design principles of a dynamic cell cycle network: the "Maximum Allowable mammalian Trade-Off-Weight" (MAMTOW). *npj Systems Biology and Applications*, 3, 26.
- Bechtel, W. (2011). Mechanism and Biological Explanation. *Philosophy of Science*, 78(4), 533–557.
- Cartwright, N. (1999). *The Dappled World: A Study of the Boundaries of Science*: Cambridge University Press.
- Cartwright, N. (2002). In Favor of Laws that are Not *Ceteris Paribus* After All. *Erkenntnis*, 57(3), 425–439.
- Cartwright, N., & Pemberton, J. (2021). *Mechanistic v covering-law explanation: a false conflict*. Paper presented at the New Mechanism, Reduction and Emergence in Physics, Chemistry and Biology (University of Lisbon).
- Cartwright, N., Pemberton, J., & Wieten, S. (2020). Mechanisms, laws and explanation. *European Journal for Philosophy of Science*, 10(25).
- Chan, H. S., & Dill, K. A. (1991). Polymer principles in protein structure and stability. *Annual Review of Biophysics and Biophysical Chemistry*, 20, 447–490.
- Chomsky, N. (2021). Minimalism: Where Are We Now, and Where Can We Hope to Go. *Gengo Kenkyu (Journal of the Linguistic Society of Japan)*, 160, 1–41.
- Clay, J. (1946). Laws and Principles. *Synthese*, 5(7/8), 338–348.
- Coopersmith, J. (2017). *The Lazy Universe: An Introduction to the Principle of Least Action*: Oxford University Press.
- Costa, K. M., & Schoenbaum, G. (2021). Replication efforts have limited epistemic value. *Nature*, 599(7884), 201.
- Craver, C. F., & Kaiser, M. I. (2013). Mechanisms and Laws: Clarifying the Debate. In H.-K. Chao, S.-T. Chen & R. L. Millstein (Eds.), *Mechanism and Causality in Biology and Economics* (pp. 125–145): Springer.
- D'Ario, M., Tavares, R., Schiessl, K., Desvoyes, B., Gutierrez, C., Howard, M., & Sablowski, R. (2021). Cell size controlled in plants using DNA content as an internal scale. *Science*, 372(6547), 1176–1181.
- Deulofeu, R., & Suárez, J. (2018). When Mechanisms Are Not Enough: The Origin of Eukaryotes and Scientific Explanation. In A. Christian, D. Hommen, N. Retzlaff & G. Schurz (Eds.), *Philosophy of Science: Between the Natural Sciences, the Social Sciences, and the Humanities* (pp. 95–115): Springer.
- Dey, P., & Bhattacharjee, A. (2018). Role of Macromolecular Crowding on the Intracellular Diffusion of DNA Binding Proteins. *Scientific Reports*, 8(1), 844.
- Díez, J. (2014). Scientific w-Explanation as Ampliative, Specialized Embedding: A Neo-Hempelien Account. *Erkenntnis*, 79, 1413–1443.
- Ehsani, S. (2019). The challenges of purely mechanistic models in biology and the minimum need for a 'mechanism-plus-X' framework. *arXiv*, 1905.10916.
- Ehsani, S. (2020). Analytic Philosophy for Biomedical Research: The Imperative of Applying Yesterday's Timeless Messages to Today's Impasses. In P. Glauner & P. Plugmann (Eds.), *Innovative Technologies for Market Leadership: Investing in the Future* (pp. 167–200): Springer.

- Ehsani, S. (2022). New Horizons in Studying the Cellular Mechanisms of Alzheimer's Disease. In S. Ehsani, P. Glauner, P. Plugmann & F. M. Thieringer (Eds.), *The Future Circle of Healthcare: AI, 3D Printing, Longevity, Ethics, and Uncertainty Mitigation* (pp. 51–88): Springer.
- Ehsani, S., Tao, R., Pocanschi, C. L., Ren, H., Harrison, P. M., & Schmitt-Ulms, G. (2011). Evidence for retrogene origins of the prion gene family. *PLoS One*, *6*(10), e26800.
- Elgin, C. Z. (2017). *True Enough*: MIT Press.
- Fenton-Glynn, L. (2016). *Ceteris Paribus* Laws and *Minutis Rectis* Laws. *Philosophy and Phenomenological Research*, *93*(2), 274–305.
- Frampton, D., Blackburn, S. M., Cheng, P., Garner, R. J., Grove, D., Moss, J. E. B., & Salishev, S. I. (2009). *Demystifying magic: high-level low-level programming*. Paper presented at the ACM SIGPLAN/SIGOPS International Conference on Virtual Execution Environments, Washington, DC, USA.
<https://doi.org/10.1145/1508293.1508305>
- Gagler, D. C., Karas, B., Kempes, C. P., Malloy, J., Mierzejewski, V., Goldman, A. D., . . . Walker, S. I. (2022). Scaling laws in enzyme function reveal a new kind of biochemical universality. *Proceedings of the National Academy of Sciences of the United States of America*, *119*(9), e2106655119.
- Gorelova, V., Sprakel, J., & Weijers, D. (2021). Plant cell polarity as the nexus of tissue mechanics and morphogenesis. *Nature Plants*, *7*, 1548–1559.
- Green, S., & Jones, N. (2016). Constraint-Based Reasoning for Search and Explanation: Strategies for Understanding Variation and Patterns in Biology. *Dialectica*, *70*(3), 343–374.
- Grimm, S. R. (2015). Understanding. In R. Audi (Ed.), *The Cambridge Dictionary of Philosophy* (pp. 1090–1091): Cambridge University Press.
- Gross, F. (2019). Occam's Razor in Molecular and Systems Biology. *Philosophy of Science*, *86*(5), 1134–1145.
- Guttinger, S., & Love, A. C. (2019). Characterizing scientific failure: Putting the replication crisis in context. *EMBO Reports*, *20*(9), e48765.
- Hanc, J., Tuleja, S., & Hancova, M. (2003). Simple derivation of Newtonian mechanics from the principle of least action. *American Journal of Physics*, *71*(4), 386–391.
- Hein, A. M., Altshuler, D. L., Cade, D. E., Liao, J. C., Martin, B. T., & Taylor, G. K. (2020). An Algorithmic Approach to Natural Behavior. *Current Biology*, *30*(11), R663–R675.
- Hein, A. M., & Martin, B. T. (2020). Information limitation and the dynamics of coupled ecological systems. *Nature Ecology & Evolution*, *4*, 82–90.
- Hempel, C. G. (1965). Aspects of Scientific Explanation *Aspects of Scientific Explanation and other Essays in the Philosophy of Science* (pp. 331–496): Free Press.
- Hempel, C. G. (1968). Maximal Specificity and Lawlikeness in Probabilistic Explanation. *Philosophy of Science*, *35*(2), 116–133.
- Herzfeld, D. J., Hall, N. J., Tringides, M., & Lisberger, S. G. (2020). Principles of operation of a cerebellar learning circuit. *Elife*, *9*, e55217.
- Hospers, J. (1956). What is Explanation? In A. Flew (Ed.), *Essays in Conceptual Analysis* (pp. 94–119): Macmillan & Co. Ltd.
- Ioannidis, S., & Psillos, S. (2017). Mechanisms, counterfactuals, and laws. In S. Glennan & P. Illari (Eds.), *The Routledge Handbook of Mechanisms and Mechanical Philosophy* (pp. 144–156): Routledge.
- Jackson, F., & Pettit, P. (1990). Program Explanation: A General Perspective. *Analysis*, *50*(2), 107–117.
- Kaila, V. R. I., & Annala, A. (2008). Natural selection for least action. *Proceedings of the Royal Society A*, *464*(2099), 3055–3070.
- Kim, H., Smith, H. B., Mathis, C., Raymond, J., & Walker, S. I. (2019). Universal scaling across biochemical networks on Earth. *Science Advances*, *5*(1), eaau0149.

- Kollmer, M., Close, W., Funk, L., Rasmussen, J., Bsoul, A., Schierhorn, A., . . . Fandrich, M. (2019). Cryo-EM structure and polymorphism of Abeta amyloid fibrils purified from Alzheimer's brain tissue. *Nature Communications*, *10*(1), 4760.
- Konrad, W., Schott, R., & Roth-Nebelsick, A. (2019). A model for extracellular freezing based on observations on *Equisetum hyemale*. *Journal of Theoretical Biology*, *478*, 161–168.
- Koonin, E. V. (2011). Are there laws of genome evolution? *PLOS Computational Biology*, *7*(8), e1002173.
- Landau, L. D., & Lifshitz, E. M. (1975). *The Classical Theory of Fields* (M. Hamermesh, Trans. 4th ed.): Pergamon.
- Lane, T. J., & Pande, V. S. (2013). Inferring the rate-length law of protein folding. *PLOS One*, *8*(12), e78606.
- Linquist, S., Gregory, T. R., Elliott, T. A., Saylor, B., Kremer, S. C., & Cottenie, K. (2016). Yes! There are resilient generalizations (or "laws") in ecology. *The Quarterly Review of Biology*, *91*(2), 119–131.
- Llored, J.-P. (2011). The Role and the Status of Thermodynamics in Quantum Chemistry Calculations. In J. C. Moreno-Piraján (Ed.), *Thermodynamics: Interaction Studies – Solids, Liquids and Gases* (pp. 469–490): IntechOpen.
- Ma, W., Trusina, A., El-Samad, H., Lim, W. A., & Tang, C. (2009). Defining network topologies that can achieve biochemical adaptation. *Cell*, *138*(4), 760–773.
- McDonald, H. P. (2009). Principles: The Principles of Principles. *The Pluralist*, *4*(3), 98–126.
- Mitchell, S. D. (2000). Dimensions of Scientific Law. *Philosophy of Science*, *67*(2), 242–265.
- Moore, T. A. (2004). Getting the most action out of least action: A proposal. *American Journal of Physics*, *72*(4), 522–527.
- Morreau, M. (2015). Theory Choice and Social Choice: Kuhn Vindicated. *Mind*, *124*(493), 239–262.
- Nassar, R., Dignon, G. L., Razban, R. M., & Dill, K. A. (2021). The Protein Folding Problem: The Role of Theory. *Journal of Molecular Biology*, 167126.
- Norman, R., & Coxon, J. M. (1993). *Principles of Organic Synthesis* (3rd ed.): Routledge.
- O'Dwyer, J. P. (2020). Beyond an ecological ideal gas law. *Nature Ecology & Evolution*, *4*, 14–15.
- Ott, W. (2009). *Causation and Laws of Nature in Early Modern Philosophy*: Oxford University Press.
- Perez Velazquez, J. L., Mateos, D. M., & Guevara Erra, R. (2019). On a Simple General Principle of Brain Organization. *Frontiers in Neuroscience*, *13*, 1106.
- Prud'homme, B., Gompel, N., & Carroll, S. B. (2007). Emerging principles of regulatory evolution. *Proceedings of the National Academy of Sciences of the United States of America*, *104* Suppl 1, 8605–8612.
- Radford, S. E., & Karamanos, T. K. (2021). Finding the sweet spot for chaperone activity. *Nature Chemistry*, *13*(5), 397–399.
- Reutlinger, A. (2018). Extending the Counterfactual Theory of Explanation. In A. Reutlinger & J. Saatsi (Eds.), *Explanation Beyond Causation: Philosophical Perspectives on Non-Causal Explanations* (pp. 74–95): Oxford University Press.
- Reutlinger, A., Schurz, G., Hüttemann, A., & Jaag, S. (2021). *Ceteris Paribus* Laws. In E. N. Zalta (Ed.), *The Stanford Encyclopedia of Philosophy*.
- Richardson, J. O., Perez, C., Lobsiger, S., Reid, A. A., Temelso, B., Shields, G. C., . . . Althorpe, S. C. (2016). Concerted hydrogen-bond breaking by quantum tunneling in the water hexamer prism. *Science*, *351*(6279), 1310–1313.
- Ross, L. N. (2020). The explanatory nature of constraints: Law-based, mathematical, and causal. *PhilSci-Archive*, 18504.
- Ruben, D.-H. (2012). *Explaining Explanation* (2nd ed.): Routledge.
- Salmon, W. C. (1989). *Four Decades of Scientific Explanation*: University of Pittsburgh Press.
- Salzburger, W. (2018). Understanding explosive diversification through cichlid fish genomics. *Nature Reviews Genetics*, *19*, 705–717.
- Schofield, R. E. (1970). *Mechanism and Materialism: British Natural Philosophy in the Age of Reason*: Princeton University Press.
- Schurz, G. (2002). *Ceteris Paribus* Laws: Classification and Deconstruction. *Erkenntnis*, *57*(3), 351–372.
- Schurz, G. (2014). *Ceteris Paribus* and *Ceteris Rectis* Laws: Content and Causal Role. *Erkenntnis*, *79*(10), 1801–1817.

- Simberloff, D. S. (1974). Equilibrium Theory of Island Biogeography and Ecology. *Annual Review of Ecology and Systematics*, 5, 161–182.
- Smart, B. T. H., & Thébault, K. P. Y. (2015). Dispositions and the principle of least action revisited. *Analysis*, 75(3), 386–395.
- Solà, M. (2022). Aromaticity rules. *Nature Chemistry*, 14, 585–590.
- Spence, A. J. (2009). Scaling in biology. *Current Biology*, 19(2), R57–R61.
- Steel, M., & Penny, D. (2000). Parsimony, Likelihood, and the Role of Models in Molecular Phylogenetics. *Molecular Biology and Evolution*, 17(6), 839–850.
- Stöltzner, M. (2003). The principle of least action as the logical empiricist's *Shibboleth*. *Studies in History and Philosophy of Science Part B: Studies in History and Philosophy of Modern Physics*, 34(2), 285–318.
- Strevens, M. (2000). Do Large Probabilities Explain Better? *Philosophy of Science*, 67(3), 366–390.
- Susskind, L., & Hrabovsky, G. (2013). *Classical Mechanics: The Theoretical Minimum*: Penguin Books.
- Tischer, S., Bornhorst, M., Amsler, J., Schoch, G., & Deutschmann, O. (2019). Thermodynamics and reaction mechanism of urea decomposition. *Physical Chemistry Chemical Physics*, 21(30), 16785–16797.
- Ward, B. (2007). The Natural Kind Analysis of Ceteris Paribus Law Statements. *Philosophical Topics*, 35(1/2), 359–380.
- Weslake, B. (2010). Explanatory Depth. *Philosophy of Science*, 77(2), 273–294.
- White, A. R. (1971). Inference. *The Philosophical Quarterly*, 21(85), 289–302.